PLADOS®

# KITCHEN COLLECTION 2014

100% ANTIBACTERIAL PROTECTION

Microstop®

ARIA PURA

THE ANTIBACTERIAL SINK
THAT PURIFIES THE AIR
IN THE KITCHEN

100%
MADE IN ITALY

# Index

## Sinks

LX8620 p.20
AM11620 p.20
AM9910 p.20
AM8610 p.20
AM8620 p.20
AM7810 p.20
AM7815 p.20
CX1162 p.21
CX0991 p.21
CX0861 p.21
LUX/ELEGANCE/CORAX Sinks

CX0862 p.21
CX0791 p.21
NK07920 p.21
CX0981 p.21
SP1162 p.22
SP0991 p.22
SP0992 p.22
SP0861 p.22
SP0862 p.22
SP0791 p.22
CORAX/SPAZIO Sinks



SP0792 p.22
SP0981 p.22
PL1162-AT1162 p.23
PL0991 p.23
PL0861 p.23
PL0862 p.23
FTA8320 p.23
PL4351 p.23
PL5101 p.23
FU11621 p.23
SPAZIO/ATLANTIC Sinks

ON1162 p.24
PK0991 p.24
ON0861 p.24
PR0861 p.24
HR1162 p.24
HR0991 p.24
HR0861 p.24
HR4321 p.24
NK05110 p.25
HR0792 p.25
ONDA/PROFILO/HARMONY Sinks

HR0862 p.25
DB09910 p.25
HR0860 p.25
HR0992 p.25
HR1061 p.25
HRA832 p.26
PK0861 p.26
PL11620 p.26
PL11610 p.26
HARMONY/UNIVERSO Sinks

PL08610 p.26
PL08620 p.26
DOA8320 p.26
HR0791 p.26
HR6150 p.27
HR6151 p.27
ON7610 p.27
ON6010 p.27
ON5610 p.27
ON4110 p.27
AM8620 p.27
LX8620ST p.27
UNIVERSO/ROXANA Sinks

## Accessories



POLYETHYLENE CHOPPING BOARDS p.30
CRYSTAL CHOPPING BOARDS p.30
WOOD CHOPPING BOARDS p.30
BASKETS p.30
COLANDERS p.31
OTHER ACCESSORIES p.31
Accessories

## Mixers

NEW
NEW
NEW
NEW
NEW
NEW

**POLYTEK** (SERIES) p.38
**PLUSMIX** p.39
**PLUSMIXEXT** p.39
**PAMIX10** p.39
**STARMIX** p.39
**STARMIXEXT** p.39
**MIXBIX** p.39
**MIXBIXEXT** p.39
**QUARMIX** p.39
**QUARMIXEXT** p.40

**NEOMIX** p.40
**SUPERMIX** p.40
**PETRAMIX** p.40
**EUROMIX** p.40
**EUROMIXEXT** p.40
**SLIMMIX** p.40
**PUNTOBPEX** p.40
**VENMIX20** p.41
**VENMIXL** p.41
**VEMIXEXTL** p.41
**VENMIXEXT** p.41

NEW
NEW
NEW
NEW
NEW
NEW

**SLIMFIX** p.41
**PAMIX50** p.41
**PAMIX50E** p.41
**NOVOMIX** p.41
**FLATMIX** p.42
**QUADRO10** p.42
**TIZEK** p.42
**TIZMIXEXT** p.42
**QUAMIXL** p.42
**PAMIX30** p.42

**ZENMIX** p.42
**MIXOLD** p.42
**MIXOLDST** p.43
**OLDSTYLE** p.43
**IDEAOLD** p.43
**IDEALMIX** p.43
**SPRINGP20** p.43
**SHOWERMID** p.43
**SPRINGP30** p.43
**SHOWER10** p.43

**TIZMIX** p.44
**GIOMIX** p.44
**VEMIXLUX** p.45
**ARCBEX** p.45
**ELMIX** p.45
**MIXCLASSIC** p.45
**NEWMIX** (SERIES) p.45
**TOPLINE** (SERIES) p.47
**DIGITALI** (SERIES) p.48
**INOXA** (SERIE) p.49

NEW
NEW
NEW
NEW

**MIS12** p.50
**FLO30** p.50
**FLO60** p.50
**FLO65** p.50
**FLO85** p.51
**BEV10** p.51
**BEVERINO** p.51
**HELLO** (SERIES) p.51

**SLIM75**
p.55

**SLIM60**
p.55

**FOPR60S**
p.55

**STAR75**
p.55

**STAR60**
p.55

**FOPR60C**
p.55

**FITER**
p.55

**STAR60CL**
p.55

**Hobs & Ovens**

**KRISTAL75**
p.56

**KRISTAL60**
p.56

**FOPR60K**
p.56

**STAR90**
p.56

**Hobs & Ovens**

**PANDORA**
**COOLING**
**DRAWER**
p.57

**RETRO'**
**REFRIGERATORS**
p.58/59

**COMPACT**
**DISHWASHER**
p.60

**Appliances**

**RND60-RND90**
p.61

**PT60-PT90**
p.61

**PC260-PC290**
p.62

**P760-P790**
p.62

**RB60-RB90**
p.62

**RS60-RS90**
p.62

**WDVN60-WDVN90**
p.62

**Cooker Hoods**

**P590**
p.62

**PV160-PV190**
p.62

**EK60-EK90**
p.62

**CUB40-CUB60**
p.63

**CLN38**
p.63

**CUBIL40**
p.63

**Cooker Hoods**

**PBTE320**
p.64

**PBTO640**
p.64

**PBTO742PET**
p.64

**PBT941T**
p.64

**PBMA320**
p.64

**PBMA640**
p.64

**SNAPPY**
p.64

**Vitroceramic Hobs**

**PBIL320T**
p.65

**PBIM430**
p.65

**PBIM640**
p. 65 197

**PBIL640T**
p. 65 197

**PBIL74GT**
p.65

**PBIS930T**
p. 65

**PBIS940T**
p.65

**PBIU320T**
p.65

**PBIU640T**
p.65

**Induction Hobs**

CO11621
p.66

CO10011
p.66

CO08611
p.66

CO08620
p.66

CO07911
p.66

CO07911
p.66

LISP838320S
p.66

VIA8321
p.66

VI10011
p.66

VI08600
p.66

OLYMPUS/REFRESH/VINTAGE
Stainless steel sinks

VI08621
p.66

VI08611
p.66

VI05811
p.67

LISP504410S60
p.67

LISP000431S
p.67

MO11621
p.67

MO10011
p.67

MO08611
p.67

MO08620
p.67

MO07911
p.67

VINTAGE/REFRESH/PREMIUM
Stainless steel sinks

MO07920
p.67



MK11621
p.67

MK10021
p.67

MK10011
p.67

MK08611
p.68

MK07620
p.68

MK07600
p.68

MK05600
p.68

MK03800
p.68

SL11520
p.68

PREMIUM/MAKI
MAKI SLIM
Stainless steel sinks

SL09920
p.68

SL09910
p.68

SL08510
p.68

SL07720
p.68

SL07700
p.68

SL05700
p.68

MAKI SLIM
Stainless steel sinks

# Who is Plados?

## 100%
## MADE IN ITALY

PLADOS is one of the world's leading manufacturers of kitchen sinks made in compound material (ULTRAQUARTZ, GRANIT, ULTRAGRANIT, Ultrametal and ULTRAVITRO). Our young and dynamic Company has succeeded in establishing a strong position in the extremely competitive international market for sinks made of compound material, by offering a highly dependable and superior product which has met with commercial success and unanimous acclaim wherever it has been sold. PLADOS products are exported into several countries, and sold on all five Continents.

Faucets, built-in hobs and ovens with an enamel finish, to match the granite colours for the sinks complement the Company's product range, which offers perfect and peerless colour coordinating.
Sinks in microULTRAGRANIT, Ultrametal, Ultravitro Naturstone are guaranteed 10 years against breakage from thermal shock. For Ultraquartz and Granit sinks and the warranty is 6 years.

## WARRANTIES AND CERTIFICATIONS

CERTIFICATO N. 773
UNI EN ISO 9001:2008
EA14

EN 13310:2003

100% MADE IN ITALY

* Sinks in microULTRAGRANIT, Ultrametal, Ultravitro Naturstone and are guaranteed 10 years against breakage from thermal shock.
For Ultraquartz and Granit sinks and the warranty is 6 years.

**PLADOS SINKS TRACEABILITY**
**In order to ensure maximum security to the consumer, PLADOS has activated an internal procedure that allows the company to trace the production batch and the components used.**

## THE EMOTION OF THE COLOUR

Plados focuses its efforts not only on technical and functional features but also on appearance of the product.
Plados has always been aimed at finding a perfect balance between form, design and functionality of the product.



PLADOS colour range is undoubtedly really wide and no other manufacturer in the world is able to propose such a variety. PLADOS commitment in searching for new finishes and new shades to propose to its Customers is infinite as well. Several innovations intended for different types of fitted kitchens are being studied.

# Plados: **the ideal partner**

Quality products, refined appearance, a wide range of styles finishes and colours. Always accurate and timely service with competitive prices. A significant part of the new factory is dedicated to the storage of the sinks, ready for packaging, in different types, finishes and colours (more than 3700 different combinations) in order to ensure rapid order fulfillment. This feature makes Plados the undisputed leader in the market for composite sinks. Plados really is the ideal partner for manufacturers of modular kitchens and distributors of home appliances.

# Plados Sinks values

## Stain-resistant

Plados sinks do stand everyday aggressive substances and food very well. Dirt and stains can be removed by rinsing and gently wiping the sink.

## Scratch-resistant

The high percentage of mineral charges present in the mixture makes Plados sinks very resistant to scratches, marks and wear.

## Heat-resistant

Plados sinks withstand thermal shocks, including the most severe ones, and very high temperatures (up to 280°) without being damaged.

## Hit-resistant

Plados sinks have a very elevated superficial strength, and they also are very tough. This last characteristic protects the sinks from breakages or damages that may be caused by accidental hits.

## Not discolours through time

Colour is the identifying element of Plados sinks. Plados sink's colours remain bright and unchanged in the course of time, even in case of frequent and prolonged exposure to sunlight.

## Hygienic, easy to clean

Since the surface is not porous, the sink can be quickly cleaned by means of a standard detergent and the simple action of a towel or sponge. The sink is always fresh, clean and hygienic.
Plados sinks are made of compound material. They are heat-insulating and noise-absorbing, that is, they keep the water hot longer and reduce the water noise of the mixer.



## Tested for food contact

Several tests carried out by independent institutes do certify Plados sinks complete suitability to food contact.

## And also...

Plados composite material sinks are also heat-insulating and sound-absorbing. They maintain the hot water longer, and absorb the noise of the jet of tap water.

# Materials and finishings

## **ULTRAQUARTZ** Sinks

### TRADITIONAL COLOURS

A mixture of atomized quartz and methyl methacrylate is the magic ingredient of Plados Quartz Sinks. A sink in Plados Ultraquartz easily withstands the daily action of hot pans, sharp objects and aggressive agents.

### TRANSLUCENT COLOURS

Plados, the first of all manufacturing companies that has managed to recreate the "crystal effect" in its translucent Sinks. Translucent sinks are made from a mixture rich in atomized quartz, giving the feeling of the crystal, a material which has always been considered very hygienic and very easy to clean.

### PASTEL COLOURS

Warm, delicate and involving, the new Plados pastel collection, represent a touch of colour and warmth to a young and cheerful kitchen.

## **GRANIT** Sinks

The characteristic of this finishing is the granite-like appearance. The high percentage of quartz and granite present in the acrylic dispersion, makes the sink resistant to shock, breakage, wear, chemicals, heat and dirt.

## **microULTRAGRANIT** Sinks

From the natural evolution of the ULTRAGRANIT, microULTRAGRANIT was born. The very high surface concentration (more than 80%) of microparticles of quartz and granite, is generated by a sophisticated process of sedimentation during molding. This confers to the sink, extraordinary aesthetic characteristics and a pleasing effect to the touch, associated with a high surface hardness, resistance to chemicals, heat, scratch.

.

## **Ultrametal** Sinks

The metallescent particles, present in the mixture along with crystals of quartz and granite, create a metalized finish on the surface of the sink. With Cool colours, and a satin surface effect, the Ultrametal sink is suitable for modern settings, matching stainless steel appliances often found in the kitchen. An Ultrametal sink is easy to clean, very hygienic and has a great resistance to scratches, chemicals, heat and high temperatures.

## **ULTRAVITRO** Sinks

All the charm and praticity of the glass in sinks manufactured with this kind of raw material, consisting of a mixture of microparticles of glass. ULTRAVITRO sinks is highly hygienic, beautiful, durable and unalterable. Ideal for modern, elegant and refined kitchens.

## **NATURSTONE** Sinks

Precious natural stones are used to confer to this finishing a luxurious effect. The precious minerals used, give a unique appearance with natural and vivid colours. A Naturstone sink has an unsurpassed hardness, does not scratch and does not change over time.

## **Suitable** for contact with **food**

**Several tests conducted by independent institutions attest to the absolute suitability for contact with food of PLADOS Sinks.**

# ARIAPURA

CLEANER AND
PURER AIR
IN THE KITCHEN
WITH THE NEWEST
PLADOS SINKS

ARIA
PURA

The new and elegant series **Elegance** and **Lux**, in the most requested colours, are producted with a brand-new self-cleaning and antibacterial composite material, able to interact with the kitchen ambiance by reducing air pollution. **Nanoparticles of titanium dioxide**, present in the innovative material designed by Plados, activates the natural phenomenon of **photocatalysis**, a process that mimics the photosynthesis of the trees, which **transforms the organic and inorganic pollutants present in the environment into harmless mineral salts**. A sink provided with active agent "ARIAPURA" performs a triple action:

- ANTIPOLLUTING
- ANTIBACTERIAL
- SELF-CLEANING

International patent PCT/EP2012/065120

## ANTI-POLLUTING ACTION

The active “**ARIAPURA**” component destroys bad smells and pollutants substances often found in the kitchens, caused by heating, air conditioning, cooking processes (generating smokes and vapours), cigarettes, particulate matter, etc... Basically, the active “ARIAPURA” component, which is integrated in the whole sink’s mass, exercises the same air purifying action of a tree placed in the kicthen.

## ANTIBACTERIAL ACTION

Elimination of Germs and bacteria determines a significant bad smells reduction, both on sink and in the air, making a fresh and healthy kitchen ambiance.

## SELF-CLEANING ACTION

"**ARIAPURA**" sinks are dirt-proof. Unsightly limescale won’t be able to deposit. Because of this reason sinks are easier to clean as less detergents are required, making the latest Plados sinks “eco-friendly”. “ARIAPURA” active agent is in the sink’s mass; this means that the agent action is maintained throughout the sink’s life, even in case of surface usury and scratches.

# Ultraclean® protection

### What is Ultraclean® protection?

It is a very innovative technology, providing a constant and unlimited protection against dirt, which could often cause stains and bad smalls. Ultraclean® effectiveness and safety have been strictly tested for a long period of time in our laboratories and the results have been remarkable. Thanks to the active function of Ultraclean® protection, which is incorporated inside sink's structure during manufacturing process, it will last for the entire life of the sink, hygiene and freshness lasts longer. PLADOS sinks with Ultraclean® protection are more clean and fresh between uses.

### Benefits of a PLADOS Ultraclean® sink.

- Higher resistance to stains and dirt.
- Sinks are easier to clean and therefore more hygienic and fresh.
- A sink with Ultraclean® protection is safe, and has a Higher protection against bacteria proliferation.
- Ultraclean® protection is effective, and lasts the whole of the sink's life.
- Ultraclean® protection is present within whole sink's mass.

These contaminations are regularly removed from Lotus leaves simply thanks to the rain.
Also oily substances are easily removed from leaves thanks to the mechanical action of the rain.

### Water drops behaviour on the sink surface

With Ultraclean® protection water drops do not break up, but they slide away reducing in this way the surfaces wet level.

#### Sink without Ultraclean®

The water drop completely flattens and it breaks up by watering the whole solid sink surface. Dirt and stain resistance is very much reduced.



#### Sink with Ultraclean®

When the contact angle between the solid surface and the drop is higher than 90°, the drops marginally flattens and the wet level is very much reduced. Dirt and stain resistance is ideal.



UltraClean®

### How does it works - "The Lotus effect"

After several researches and tests, our company's laboratories have succeed in reproducing the way "Lotus" leaves react towards dirt. The Lotus flower is considered a symbol of pureness in the Asiatic religions, probably because although it is often immersed in muddy waters, it is pollution and dirt proof. Because of this reason Lotus has been studied in order to reproduce on our sinks surfaces its way to react towards water and dirt.
The most important result of the Lotus effect in nature is the protection against organic pathogen contaminations, like spores and bacteria.

### Integrated hygiene.

Sinks could keep the dirt, however those with Ultraclean® protection the resistance against dirt and stains is higher. Therefore they are more hygienic and easier to clean, thus there is more safety and tranquillity for families.

### Integrated freshness.

Bad smells that sometimes could come from sinks, could be caused by dirt. Ultraclean® protection associated with regular cleaning and hygienic procedures, makes the sinks more clean and fresh.

# **Antibacterial** protection **Microstop®**

### How does the antibacterial protecion work?

Plados has been the very first company to propose antibacterial sinks. The active function proposed by Plados is based on natural silver ions, and gives a constant protection against bacterial proliferation. Bacteria can cause mould, stains and bad smells. Thanks to the active function of the antibacterial element, which is incorporated in the sink's structure during manufacturing and lasts for the whole life of the sink, freshness and hygiene last longer.

Plados antibacterial protection is **colourless and odourless**; it doesn't reduce its action with the sink use or after time.

## A fresher and cleaner sink!

Bad smells that sometimes originate in sinks could be caused by bacterial proliferation, mostly in warm-humid conditions. Antibacterial protection avoids bacterial proliferation and maintains, using the normal cleaning and hygienic practice, a cleaner and fresher sink.

## A more hygienic sink!

A sink in contact with food could transmit bacterial infections. With Plados sinks, provided with antibacterial protection, this risk is reduced, offering more safety to the family.



### Benefits of a sink provided with anti-bacterial protection.

- High protection against bacteria.
- The sink is fresher and cleaner.
- The antibacterial protection lasts for the whole life of the sink.
- The antibacterial protection is not only on the surface, but in the whole sink mass.
- It's safe, lasting and effective.

Microstop®

SILVER IONS ANTIBACTERIAL

BASED ON
NATURAL
SILVER IONS

100%
ANTIBACTERIAL
PROTECTION

N.B.: 100% antibacterial means that antibacterial protection is not only on sink surface but in the whole sink mass .
Microstop® antibacterial protection does not replace ordinary hygiene and cleaning.
Microstop® is integrated in sinks, but not in taps, accessories, ovens, built-in hobs, and cooker hoods.

# Novelties

## LUX SERIES

Sinks provided with **"ARIAPURA"** technology



With LUX series PLADOS rethinks the concept of a kitchen sink. The basins disappear under two sliding chopping boards made of tempered crystal. With the chopping-boards closed a new elegance and linearity is given to the worktop and so to the whole kitchen.

## ELEGANCE SERIES

Sinks provided with **"ARIAPURA"** technology



Linear and simple, Elegance series is a mix of style and modernity and can be conveniently installed in any type of modular kitchen. The squared lines and a large and completely flat upper edge, allow use of these models for under-mounting and flush-mounting installation as well.

## ARIAPURA TECHNOLOGY

"**ARIAPURA**" identifies the sinks provided with **Titanium Dioxide nanoparticles**. This natural component, in presence of natural or artificial light, activates a phenomenon called **"PHOTOCATALYSIS"**. This process is very similar to the clorophyllian photosynthesis operated by trees and plants, and it **transforms organic and inorganic pollutants**, often present in the kitchen, **in harmless mineral salts**. A sink provided with "**ARIAPURA**" performs a triple action:

- **ANTI-POLLUTING**
- **ANTIBACTERIAL**
- **SELF-CLEANING**

ARIA
PURA
AIR PURIFYING
SINKS

## PANDORA DRAWER



Pandora keeps your wines at the right temperature. Standard dimensions of a kitchen drawer; interiors with led lights, soft-call technology for the closure are just a few features of this innovative product.

## LUX Series

Sinks provided with “**ARIAPURA**” technology

**LX8620**
Double basin sink
For 90cm cabinet

Crystal chopping boards
White - Black - Mirror
code: **TAGCRLUX**

Drain cover
code: **COPPILT10**

Stainless steel colander
code: **LXVASINX**

Overflow
code: **TPPE10P**

## ELEGANCE Series

Sinks provided with “**ARIAPURA**” technology

AM9910
AM11620
AM9910
AM8610
AM8620

# NOVELTIES

## PANDORA Cooling drawer

Pandora is a cooling drawer that allows you to store five bottles of wine (two of which can be Champagne bottles), and matches perfectly the design of your kitchen. The overall dimensions are, in fact, those of a standard drawer of a normal kitchen. The front panel can be made of glass or stainless steel, on which you can install any type of panel, in line with the kitchen style, whether classic or modern.

The design is simple and professional, the materials used are stainless steel 304 for the interior, wood and aluminum. The compartment is lit by led lights and the simple and intuitive control panel allows it to be set at different temperature levels.
The guides of the drawer are provided with soft-call for the closure, in order to reduce sudden movements of the bottles. The product is designed to allow installation in a column of two pieces, for example, one to contain red wines and the other to contain white wines or sparkling.

## POLYTECH Mixers

Made with innovative techno-polymers, the new Polytek mixers are a novelty and uniqueness in the market of taps. The big advantage of a Poly-tech mixer is that it's made up of completely non-toxic materials, recyclable and suitable for contact with food. As these materials do not contain heavy metals such as lead, they are not releasing them during use. A Polytek mixer is also equipped with the patented Semplifix system, allowing fast assembly from above. A very lightweight product at a very competitive price.

- Completely non-toxic materials - does not contain heavy metals such as lead
- Equipped with the patented Semplifix system, allowing fast assembly from above
- Lightweight product
- Competitive price
- Made with recyclable materials
- Anallergic, suitable for contact with food

Code **POLYTEK20**



Code **POLYTEK30**





Code **POLYTEK10**



Code **POLYTEK40**

# NOVELTIES

## Compact DISHWASHER and RETRO REFRIGERATORS

## COLOURED COOKER HOODS



P590



CUB



GLASS

Even in decorative hoods PLADOS opens to the wonderful world of colours. Upon request, can be supplied many models and many other colours than those found in the main catalogue. These images are representative.

# PLADOS commitment to environment

Our vision is to create a better everyday life for most people. This involves a long-term commitment for sustainability and a positive overall impact on the environment and humans. To achieve this, Plados undertakes to propose its products, known for excellent quality, aesthetic appeal and functionality, at competitive prices and not at the expense of these two essential aspects: environment and people.

To translate into concrete action the sense of social and environmental responsibility, Plados promotes with great emphasis, green products allowing substantial savings of water and energy to the end customer.

Our environmental strategy is expressed in every stage of life of our products, from ideation to raw materials supply, from production to distribution and sales in stores, use, until the end of the life cycle, when the object becomes waste and must be disposed of or recycled.

Our suppliers undertake not to use child labour, according with laws and ethical, social and environmental values. Plados commitment to environment and social, is made of motivation, awareness and investments.

# Sinks provided with ARIAPURA technology

## LX8620

**ARIAPURA**



**LV/2** 860x500
Double basin sink
*For 90 cm cabinet*
*Countertop hole 840x480 mm*

**Optional accessories**


TAGP77
TAGCRLUX
LXVASINX
SPCESINX

860x510x235 mm
34"x20"x9" inches


860
510
371
379
379
235
CABINET 900

Attention: code TAGCRLUX refers to a single chopping board, not to the couple. Drain cover visible in images is an optional accessory (Code COPPILT10).

**Lux**

## AM11620

**ARIAPURA**

**Elegance**



**LV/2** 1162x500 - reversible model
Double basin sink + drainer
*For 80 cm cabinet - Countertop hole 1140x480 mm*

1160x500x210 mm
45"x20"x8" inches


1160
75
500
350
75
295
400
430
210
CABINET 800

**Optional accessories**


TAGP81
TAGL80
TAGL88
TAGCR
TAGP77
SPCESINX

Drain cover visible in images is an optional accessory (Code COPPILT10)

## AM9910

**ARIAPURA**



**LV/1** 990x500 - reversible model
Single basin sink + drainer
*For 60 cm cabinet - Countertop hole 970x480 mm*

990x500x210 mm
39"x20"x8" inches


990
545
403
35
500
430
495
460
35
35
210
BASE 600

**Optional accessories**


TAGP81
TAGL80
TAGL88
TAGCR
TAGP77
SPCESINX

Drain cover visible in images is an optional accessory (Code COPPILT10)

## AM8610

**ARIAPURA**



**LV/1** 860x500 - reversible model
Single basin sink + drainer
*For 50 cm cabinet - Countertop hole 840x480 mm*

860x500x210 mm
34"x20"x8" inches


860
500
430
390
210
CABINET 500

**Optional accessories**


TAGP81
TAGL80
TAGL88
TAGCR
TAGP77
SPCESINX

Drain cover visible in images is an optional accessory (Code COPPILT10)

## AM8620

**ARIAPURA**



**LV/2** 860x500
Double basin sink
*For 90 cm cabinet - Countertop hole 840x480 mm*

860x510x210 mm
34"x20"x8" inches


860
75
510
400
380
380
210
CABINET 900

**Optional accessories**

TAGP74
TAGL44
TAGL88
TAGP77
SPCESINX

Drain cover visible in images is an optional accessory (Code COPPILT10)

## AM7810

**ARIAPURA**



**LV/1** 780x500 - reversible model
Single basin sink + drainer
*For 50 cm cabinet - Countertop hole 760x480 mm*

780x500x210 mm
31"x20"x9" inches


780
500
430
390
210
CABINET 500

**Optional accessories**


TAGP81
TAGL80
TAGL88
TAGCR
TAGP77
SPCESINX

Drain cover visible in images is an optional accessory (Code COPPILT10)

## AM7815

**NEW**

**ARIAPURA**



**LV/1½** 780x500 - reversible model
One and a half basin sink + drainer
*For 60 cm cabinet - Countertop hole 760x480 mm*

780x500x200 mm
31"x20"x9" inches


780
500
288
430
150
350
145
200
CABINET 600

**Optional accessories**


TAGP81
TAGL80
TAGL88
TAGCR
TAGP77
SPCESINX

Drain cover visible in images is an optional accessory (Code COPPILT10)

Lux and Elegance series are available in Ultragranit, Ultrametal and Ultravitro finishings.

100% MADE IN ITALY

# Sinks provided with Microstop® 100% ANTIBACTERIAL PROTECTION

**Corax**

## CX1162 100% ANTIBACTERIAL



1160x500x230 mm
45"x20"x9" inches


1160
430
500
345
345
230
CABINET 800

**LV/2** 1160x500 - reversible model
Double basin sink + drainer
*For 80 cm cabinet - Countertop hole 1140x480 mm*

**Optional accessories**


TAGP81

TAGL80

TAGL88

TAGCR

TAGP77

SPCESINX

## CX0991 100% ANTIBACTERIAL

990x500x230 mm
39"x20"x9" inches




990
430
500
345
155
230
160
CABINET 600

**LV/1½** 990x500 - reversible model
One and a half basin sink + drainer
*For 60 cm cabinet - Countertop hole 970x480 mm*

**Optional accessories**


TAGP81

TAGL80

TAGL88

TAGCR

TAGP77

SPCESINX

SPVASINX

SPVASPOL

VASCN

## CX0861 100% ANTIBACTERIAL



860x500x230 mm
34"x20"x9" inches


860
430
500
345
230
CABINET
450

**LV/1** 860x500 - reversible model
Single basin sink + drainer
*For 45 cm cabinet - Countertop hole 840x480 mm*

**Optional accessories**


TAGP81

TAGL80

TAGL88

TAGCR

TAGP77

SPCESINX

## CX0862 100% ANTIBACTERIAL

860x500x230 mm
34"x20"x9" inches




860
430
500
380
380
230
CABINET 900

**LV/2** 860x500 - reversible model
Double basin sink
*For 90 cm cabinet - Countertop hole 840x480 mm*

**Optional accessories**


TAGP81

TAGL80

TAGL88

TAGCR

TAGP77

SPCESINX

## CX0791 100% ANTIBACTERIAL



790x500x230 mm
31"x20"x9" inches


790
430
500
345
230
CABINET
450

**LV/1** 790x500 - reversible model
Single basin sink + drainer
*For 45 cm cabinet - Countertop hole 770x480 mm*

**Optional accessories**


TAGP81

TAGL80

TAGL88

TAGCR

TAGP77

SPCESINX

## NK07920 100% ANTIBACTERIAL

790x500x235 mm
31"x20"x9" inches




790
440
500
345
345
235
CABINET 800

**LV/2** 790x500 - reversible model
Double basin sink
*For 80 cm cabinet - Countertop hole 770x480 mm*

**Optional accessories**


TAGP81

TAGL80

TAGL88

TAGCR

TAGP77

SPCESINX

## CX0981 100% ANTIBACTERIAL



980x510x210 mm
39"x20"x8" inches


980
400
510
272
436
272
210
CABINET
500

**LV/1** 980x500
Single basin sink + double drainer
*For 50 cm cabinet - Countertop hole (See cut-out)*

**Optional accessories**


TAGP77

SPCESINX

100% MADE IN ITALY

Corax series is available in Ultragranit, Ultrametal and Ultravitro finishings.

# Sinks provided with Microstop® 100% ANTIBACTERIAL PROTECTION

## Spazio

### **SP1162** 100% ANTIBACTERIAL

1160x500x200 mm
45"x20"x8" inches


1160
500
430
335
355
200
CABINET 800

**LV/2** 1160x500 - reversible model
Double basin sink + drainer
*For 80 cm cabinet - Countertop hole 1140x480 mm*

**Optional accessories**


SPTAGIRK
TAGL88
SPTAGPOL
TAGCR
TAGP77
SPCESINX

### **SP0991** 100% ANTIBACTERIAL

990x500x200 mm
39"x20"x8" inches


990
500
286
420
156
342
145
200
CABINET 600

**LV/1½** 990x500 - reversible model
One and a half basin sink + drainer
*For 60 cm cabinet - Countertop hole 960x480 mm*

**Optional accessories**


SPTAGIRK
TAGL88
SPTAGPOL
TAGCR
TAGP77
SPCESINX
SPVASINX
SPVASPOL
VASSP

### **SP0992** 100% ANTIBACTERIAL

990x500x200 mm
39"x20"x8" inches


990
500
286
420
350
150
342
145
200
CABINET 1000

**LV/2½** 990x500 - reversible model
Two and a half basins sink
*For 100 cm cabinet - Countertop hole 970x480 mm*

**Optional accessories**


SPTAGIRK
TAGL88
SPTAGPOL
TAGCR
TAGP77
SPCESINX
SPVASINX
SPVASPOL
VASSP

### **SP0861** 100% ANTIBACTERIAL

860x500x200 mm
34"x20"x8" inches


860
500
430
340
200
CABINET 450

**LV/1** 860x500 - reversible model
Single basin sink + drainer
*For 45 cm cabinet - Countertop hole 840x480 mm*

**Optional accessories**


SPTAGIRK
TAGL88
SPTAGPOL
TAGCR
TAGP77
SPCESINX

### **SP0862** 100% ANTIBACTERIAL

860x500x200 mm
34"x20"x8" inches


860
500
430
380
380
200
CABINET 900

**LV/2** 860x500 - reversible model
Double basin sink
*For 90 cm cabinet - Countertop hole 840x480 mm*

**Optional accessories**


SPTAGIRK
TAGL88
SPTAGPOL
TAGCR
TAGP77
SPCESINX

### **SP0791** 100% ANTIBACTERIAL

790x500x200 mm
31"x20"x9" inches


790
500
430
340
200
CABINET 450

**LV/1** 790x500 - reversible model
Single basin sink + drainer
*For 45 cm cabinet - Countertop hole 770x480 mm*

**Optional accessories**


SPTAGIRK
TAGL88
SPTAGPOL
TAGCR
TAGP77
SPCESINX

### **SP0792** 100% ANTIBACTERIAL

790x500x200 mm
31"x20"x9" inches


790
500
430
345
345
200
CABINET 800

**LV/2** 790x500 - reversible model
Double basin sink
*For 80 cm cabinet - Countertop hole 770x480 mm*

**Optional accessories**


SPTAGIRK
TAGL88
SPTAGPOL
TAGCR
TAGP77
SPCESINX

### **SP0981** 100% ANTIBACTERIAL

980x500x200 mm
39"x20"x9" inches


980
503
290
415
150
365
145
200
CABINET 600

**LV/1½** 980x503
One and a half basin sink + double drainer
*For 60 cm cabinet or angular cabinet 90x90/105x105 cm - Countertop hole (See cut-out)*

**Optional accessories**

SPATAGIRK
SPATAGPOL
TAGP77
SPCESINX
SPVASINX
SPVASPOL
VASSP

100% MADE IN ITALY

# Sinks provided with Microstop® 100% ANTIBACTERIAL PROTECTION

## PL1162/AT1162 100% ANTIBACTERIAL

**Atlantic**

1160x500x200 mm
45"x20"x8" inches


1160
500
408
360
(335)*
360
(335)*
200
CABINET 900 (800)*

**LV/2** 1162x500 - reversible model
Double basin sink + drainer
*Countertop hole 1140x480 mm.*

Code PL1162 For 90 cm cabinet
Code AT1162 For 80 cm cabinet

* Measures in brackets are for AT1162, which is for 80 cm cabinet

**Optional accessories**



PLTAGIRK TAGL88 PLTAGPOL TAGCR TAGP77 SPCESINX PLCOPVAS (for PL1162)

## PL0991 100% ANTIBACTERIAL

990x500x200 mm
39"x20"x8" inches


990
500
295
425
150
350
145
200
CABINET 600

**LV/1½** 990x500 - reversible model
One and a half basin sink + drainer
*For 60 cm cabinet - Countertop hole 970x480 mm*



VASSP

**Optional accessories**



PLTAGIRK TAGL88 PLTAGPOL TAGCR TAGP77 SPCESINX SPVASINX PLCOPVAS SPVASPOL

## PL0861 100% ANTIBACTERIAL

860x500x200 mm
34"x20"x8" inches


860
500
408
360
200
CABINET
450

**LV/1** 860x500 - reversible model
Single basin sink + drainer
*For 45 cm cabinet - Countertop hole 840x480 mm*

**Optional accessories**



PLTAGIRK TAGL88 PLTAGPOL TAGCR TAGP77 SPCESINX PLCOPVAS

## PL0862 100% ANTIBACTERIAL

860x500x200 mm
34"x20"x8" inches


860
500
408
360
360
200
CABINET 900

**LV/2** 860x500 - reversible model
Double basin sink
*For 90 cm cabinet - Countertop hole 840x480 mm*

**Optional accessories**



PLTAGIRK TAGL88 PLTAGPOL TAGCR TAGP77 SPCESINX PLCOPVAS

## FTA8320 100% ANTIBACTERIAL

830x500x200 mm
33"x20"x8" inches


830
360
500
415
830
500
360
415
330
500
200

**LVA/2** 830x500
Corner sink with two basins + drainer
*For 90x90 cm corner cabinet - Countertop hole 810x810 mm (See cut-out)*

**Optional accessories**



TAGL29 TAGL88 TAGP78 TAGCR TAGP77 SPCESINX COL29

## PL4351 100% ANTIBACTERIAL

Ø435x220 mm
Ø17"x8" inches


435
350
200
CABINET
400/450

**LVT** Ø435
Round sink
*For 40/45 cm cabinet - Countertop hole Ø410 mm*

**Optional accessories**



PLTGTDIRK PLTGTDPOL CES46 CES47

## PL5101 100% ANTIBACTERIAL

Ø510x220 mm
Ø20"x8¾" inches


85
Ø510
405
220
CABINET
450

**LVT** Ø510
Round sink with mixer hole
*For 45 cm cabinet - Countertop hole Ø490 mm*

**Optional accessories**



TAGL47 TAGP48 CES46 CES47

## FU11621 100% ANTIBACTERIAL

1160x500x200 mm
45"x20"x8" inches


1160
500
425
65
315
360
200
CABINET 900

**Model available until stock availability**

**LV/2½** 1160x500 - reversible model
Two and a half basins sink + drainer
*For 90 cm cabinet - Countertop hole 1140x480 mm*

**Optional accessories**



TAGL39 TAGP38 TAGL88 TAGCR TAGP77 SPCESINX VAS50

100% MADE IN ITALY

# Sinks provided with Microstop® 100% ANTIBACTERIAL PROTECTION

## ON1162 100% ANTIBACTERIAL

**Onda**



1184x500x220 mm
45"x20"x9" inches


1184
500
432
30
42
428
342
342
220
CABINET 800

**Model available until stock availability**

**LV/2** 1160x500 - reversible model
Double basin sink + drainer
*For 80 cm cabinet - Countertop hole 1140x480 mm*

**Optional accessories**

TAGL88


TAGP77

SPCESINX

## PK0991 100% ANTIBACTERIAL



990x500x220 mm
39"x20"x9" inches


990
500
315
430
155
340
140
220
CABINET 600

**Model available until stock availability**

**LV/1½** 990x500 - reversible model
One and a half basin sink + drainer
*For 60 cm cabinet - Countertop hole 960x480 mm*

**Optional accessories**

TAGL88


TAGP77

SPCESINX

SPVASINX


SPVASPOL


VASCN

## ON0861 100% ANTIBACTERIAL



884x500x210 mm
35"x20"x8" inches


884
500
432
42
500
342
210
CABINET 450

**LV/1** 860x500 - Reversible model
Single basin sink + drainer
*For 45 cm cabinet - Countertop hole 840x480 mm*

**Optional accessories**

TAGL88


TAGP77

SPCESINX

## PR0861 100% ANTIBACTERIAL



880x500x230 mm
35"x20"x9" inches


880
500
430
340
230
CABINET 450

**Model available until stock availability**

**LV/1** 860X500 - reversible model
Single basin sink + drainer
*For 45 cm cabinet - Countertop hole 850x480 mm*

**Optional accessories**

TAGL88


TAGP77

SPCESINX

## HR1162 100% ANTIBACTERIAL

**Harmony**



1160x500x200 mm
45"x20"x8" inches


1160
500
430
325
360
200
CABINET 800

**Model available until stock availability**

**LV/2** 1160x500 - reversible model
Lavello a due vasche più scolapiatti
*For 80 cm cabinet - Countertop hole 1140x480 mm*

**Optional accessories**

PLT99IRK


PLT99POL

TAGL88


TAGCR


TAGP77

SPCESINX

## HR0991 100% ANTIBACTERIAL



990x500x210 mm
39"x20"x8" inches


990
500
290
426
150
345
145
200
BASE 600

**Model available until stock availability**

**LV/1½** 990x500 - reversible model
One and a half basin sink + drainer
*For 60 cm cabinet - Countertop hole 970x480 mm*

PLT99IRK

TAGL88

PLT99POL


TAGCR


TAGP77

SPCESINX

SPVASINX

SPVASPOL


VASSP

## HR0861 100% ANTIBACTERIAL



880x500x200 mm
35"x20"x8" inches


860
500
430
340
200
CABINET 450

**Model available until stock availability**

**LV/1** 860x500 - Reversible model
Single basin sink + drainer
*For 45 cm cabinet - Countertop hole 850x480 mm*

**Optional accessories**

TAGL88


TAGP77


TAGCR

SPCESINX

## HR4321 100% ANTIBACTERIAL

432x500x210 mm
17"x20"x8" inches


*Standard installation*


*Longitudinal installation*


432
500
425
360
210
CABINET 450

**LV/1** 432x500 - reversible model
Single basin sink
*For 45 cm cabinet - Countertop hole 410x480 mm*

**N.B.:**
Longitudinal installation requires a 50 cm cabinet

**Optional accessories**

PLT99IRK


PLT99POL

TAGL88


TAGCR


TAGP77

SPCESINX

COL29

# Sinks provided with Microstop® 100% ANTIBACTERIAL PROTECTION

## NK05110 100% ANTIBACTERIAL

Ø510x200 mm
Ø20"x8" inches


Ø510
86
381
200
CABINET
450

**LVT** Ø510
Round sink with mixer hole
*For 45 cm cabinet - Countertop hole Ø490 mm*

**Optional accessories**

CES46

CES47

## HR0792 100% ANTIBACTERIAL

790x500x210 mm
31"x20"x8" inches


795
500
435
425
255
210
160
CABINET 800

**LV/2** 790x500
Double basin sink
*For 80 cm cabinet - Countertop hole 770x480 mm*

**Optional accessories**

TAGL88


TAGP77

SPCESINX

## HR0862 100% ANTIBACTERIAL

860x500x200 mm
34"x20"x8" inches


860
500
425
305
450
180
200
CABINET 900

**LV/2** 860x500 - reversible model
Double basin sink
*For 90 cm cabinet - Countertop hole 840x480 mm*

**Optional accessories**

PLT99IRK


PLT99POL

TAGL88


TAGP77

SPCESINX

## DB09910 100% ANTIBACTERIAL

990x500x210 mm
39"x20"x8" inches


990
405
500
535
210
CABINET
600/800

**LV/1** 990x500 - reversible model
Single basin sink + drainer
*For 60/80 cm cabinet - Countertop hole 970x480 mm*
With overflow positioned as in the picture, the sink can be installed in a 60 cm cabinet.
With overflow positioned on the drainer side, the sink can be installed in a 80 cm cabinet.

**Optional accessories**

TAGL45

TAGL88


TAGP75


TAGCR


TAGP77

CES45

SPCESINX


COL45

## HR0860 100% ANTIBACTERIAL

880x500x230 mm
35"x20"x9" inches


880
500
425
790
230
CABINET 900

**LV/1** 860x500 - Single basin sink
*For cabinet 90 cm - Countertop hole 840x480 mm*

### KIT 1

Ⓐ - Wood chopping board **TAGIRK2**
Ⓑ - Stainless steel colander **VAS93**
Ⓒ - Polyethylene chopping board **TAGP79**

### KIT 2

Ⓐ - Wood chopping board **TAGIRK3**
Ⓑ - Polycarbonate colander **SPVASPOL**
Ⓒ - Polyethylene chopping board **TAGP89**



Wood chopping board
**TAGIRK1**

Stainless steel basket
**CESINX1**

## HR0992 100% ANTIBACTERIAL

990x500x230 mm
39"x20"x9" inches


990
500
360
430
510
360
230
200
CABINET 1000

**LV/2** 990x500
Double basin sink
*For cabinet 100 cm - Countertop hole 960x480 mm*

**Optional accessories**

TAGL88


TAGCR


TAGP77

SPCESINX

## HR1061 100% ANTIBACTERIAL

1060x575x190 mm
42"x22½"x7½" inches


1056
575
418
180
310
335
190
160

**LV/1½** 1060x575
One and a half basin sink + drainer
*For 90x90/105x105 cm corner cabinet - Countertop hole (see cut-out)*

**Optional accessories**

HRTAGIRK


TAGP77

SPCESINX


HRVASINX

100% MADE IN ITALY

# Sinks provided with Microstop® 100% ANTIBACTERIAL PROTECTION

## HRA832 100% ANTIBACTERIAL

830x500x230 mm
33"x20"x9" inches


635
350
355
500
430
285
842
500
842
230
190

**Available only with basins on the left.**

**LVA/2** 830x500
Corner sink with two basins + drainer
*For 90x90 cm corner cabinet or two rectangular 90 cm cabinets-Countertop hole (see cut-out)*

**Optional accessories**

PLT99IRK


PLT99POL

TAGL88


TAGCR


TAGP77

SPCESINX

## PK0861 100% ANTIBACTERIAL

860x500x200 mm
34"x20"x8" inches


860
500
430
340
200
CABINET
450

**Model available until stock availability**

**LV/1** 860x500 - Reversible model
Single basin sink + drainer
*For 45 cm cabinet - Countertop hole 840x480 mm*

**Optional accessories**

SPTAGIRK


SPTAGPOL

TAGL88


TAGCR


TAGP77

SPCESINX

## PL11620 100% ANTIBACTERIAL

**Universo**

1160x500x200 mm
45"x20"x8" inches


1160
500
415
345
345
200
CABINET 800

**Model available until stock availability**

**LV/2** 1160x500 - reversible model
Double basin sink + drainer
*For cabinet 80 cm - Countertop hole 1140x480 mm*

**Optional accessories**

TAGL23


TAGP63

TAGL88


TAGCR


TAGP77

## PL11610 100% ANTIBACTERIAL

1160x500x200 mm
45"x20"x8" inches


1160
500
415
130
330
115
200
CABINET
600

**LV/1½** 1160x500 - reversible model
One and a half basin sink + drainer
*For 60 cm cabinet 60 cm - Countertop hole 1140x480 mm*

**The small basin works as overflow**

**Optional accessories**

TAGL21


TAGP61

TAGL88


TAGCR


TAGP77

SPCESINX

## PL08610 100% ANTIBACTERIAL

860x500x200 mm
34"x20"x8" inches


860
500
415
380
200
CABINET
450

**Model available until stock availability**

**LV/1** 860x500 - reversible model
Single basin sink + drainer
*For cabinet 45 cm - Countertop hole 840x480 mm*

**Optional accessories**

TAGL20


TAGP60

TAGL88


TAGCR


TAGP77

## PL08620 100% ANTIBACTERIAL

860x500x200 mm
34"x20"x8" inches


860
500
415
365
365
200
CABINET 900

**Model available until stock availability**

**LV/2** 860x500 - reversible model
Double basin sink
*For 90 cm cabinet - Countertop hole 840x480 mm*

**Optional accessories**

TAGL22


TAGP63

TAGL88


TAGCR


TAGP77

## DOA8320 100% ANTIBACTERIAL

830x500x200 mm
33"x20"x8" inches

**Model available until stock availability**


830
500
400
330
515
830
400
330
500
200

**Available only with basins on the left.**

**LVA/2** 830x500
Corner sink with two basins + drainer
*For 90x90 cm corner cabinet - Countertop hole 810x810 (see cut-out)*

**Optional accessories**

TAGL45

TAGL88


TAGP75


TAGCR


TAGP77

CES45

SPCESINX

COL45

## HR0791 100% ANTIBACTERIAL

**Roxana**

790x500x200 mm
31"x20"x8" inches


790
500
286
426
150
335
150
200
CABINET 600

**LV/1½** 790x500 - Reversible model
One and a half basin sink + drainer
*For 60 cm cabinet - Countertop hole 770x480 mm*

**Optional accessories**

PLT99IRK


PLT99POL

TAGL88


TAGP77

SPCESINX

SPVASINX


SPVASPOL


VASSP

100% MADE IN ITALY

# **Sinks** provided with Microstop® 100% ANTIBACTERIAL PROTECTION

## **HR6150** 100% ANTIBACTERIAL

432x500x210 mm
24"x20"x8¼" inches


615
500
425
335
210
CABINET
450

**LV/1** 615x500 - reversible model
Single basin sink + drainer
*For 45 cm cabinet - Countertop hole 595x480 mm*

**Optional accessories**

PLT99IRK
PLT99POL
TAGL88
TAGP77
SPCESINX

## **HR6151** 100% ANTIBACTERIAL

615x500x210 mm
24"x20"x8¼" inches


615
500
300
425
165
335
150
210
CABINET 600

**LV/1½** 615x500 - reversible model
One and a half basin sink
*For 60 cm cabinet - Countertop hole 595x480 mm*

**Optional accessories**


PLT99IRK
PLT99POL
TAGL88
TAGP77
SPCESINX
VAS94

## **ON7610** 100% ANTIBACTERIAL One

760x500x200 mm
30"x20"x8" inches


760
70
400
500
690
200
CABINET 800

**LV/1** 760x500
Single basin sink
*For 80 cm cabinet*
*Countertop hole 740x480 mm*

### **ON7610ST**

Undermount version


400
450
690
760

**Optional accessories**

TAGL44
TAGP44
TAGL88
TAGP77
SPCESINX

**N.B.: Countertop hole for undermount and flushmount versions: see cut-out**

## **ON6010** NEW 100% ANTIBACTERIAL

600x500x200 mm
23"x20"x8" inches


600
300
70
510
405
530
35
200
CABINET
600

**LV/1** 600x510
Single basin sink
*For 60 cm cabinet*
*Countertop hole 580x480 mm*

### **ON6010ST**

Undermount version


400
450
530
600

**Optional accessories**

TAGL44
TAGP44
SPCESINX

**N.B.: Countertop hole for undermount and flushmount versions: see cut-out**

## **ON5610** 100% ANTIBACTERIAL

560x500x200 mm
22"x20"x8" inches


560
70
400
500
490
200
CABINET 600

**LV/1** 560x500
Single basin sink
*For 60 cm cabinet*
*Countertop hole 540x480 mm*

### **ON5610ST**

Undermount version


400
450
490
560

**Optional accessories**

TAGL44
TAGP44
SPCESINX

**N.B.: Countertop hole for undermount and flushmount versions: see cut-out**

## **ON4110** 100% ANTIBACTERIAL

410x500x200 mm
16"x20"x8" inches


410
70
400
500
340
200
CABINET
450

**LV/1** 410x500
Single basin sink
*For 45 cm cabinet*
*Countertop hole 390x480 mm*

### **ON4110ST**

Undermount version


400
450
340
410

**Optional accessories**

TAGL44
TAGP44
SPCESINX

**N.B.: Countertop hole for undermount and flushmount versions: see cut-out**

## **AM8620** ARIAPURA ARIA PURA

860x510x210 mm
34"x20"x8" inches


860
75
510
400
380
380
210
CABINET 900

**LV/2** 860x500
Double basin sink
*For 90 cm cabinet*
*Countertop hole 840x480 mm*

### **AM8620ST**

Undermount version


860
450
400
380
380
35

**Optional accessories**

TAGP74
TAGL44
TAGL88
TAGP77
SPCESINX

Drain cover visible in images is an optional accessory (Code COPPILT10)

100% MADE IN ITALY

## NOTE!

- We recommend model **ON6010** for standard installation; **ON6010ST** for undermount installation in cabinets wider than 60cm.
- For undermount installation in 60 cm cabinets we recommend model **ON5610ST**.

# Sinks

## POSSIBLE MOUNTING COMBINATIONS FOR "ONE" SERIES

**ON4110**


41
45 cm CABINET

**ON4110 + ON4110**


41
41
90 cm CABINET

**ON5610**


56
90 cm CABINET

**ON4110 + ON5610**


41
56
100 cm CABINET

**ON5610 + ON5610**


56
56
120 cm CABINET

**ON7610**


76
80 cm CABINET

**ON7610 + ON4110**


76
41
120 cm CABINET

## INSTALLATION OPTIONS FOR "ONE" SERIES

### STANDARD INSTALLATION

The sink lays on the worktop



STANDARD

### UNDER-MOUNTING INSTALLATION

The sink is placed under the worktop and fixed with special under-mounting clamps (code GANCIST10), to be ordered as optional)



UNDERMOUNT

### FLUSH MOUNTING INSTALLATION

The sink Is placed at the same level of the worktop, as its edges are properly cut



FLUSHMOUNT

## UNDERMOUNT INSTALLATION

### Solution A

**Sink edge is flush with the worktop**
(Recommended solution)*


Worktop
Sink

This solution:
- Exalts the aesthetic aspect
- Helps to clean the sink
- Optimizes the hygiene

### Solution B

**The sink edge is under the worktop**


Worktop
Sink

This solution:
- Eases the installation
- Helps to clean the sink

### Solution C

**The sink edge is partially visible**


Worktop
Sink

This solution:
- Helps to clean the sink
- Optimizes the hygiene

* The worktop hole cut-out supplied on demand is intended for this solution only

## UNDER-MOUNT


WORKTOP IN COMPOUND MATERIAL (LIKE CORIAN)
ANCHORAGE AXLE BOX
SEAL
SCREW
FIXING BRACKET
SINK


WORKTOP IN MARBLE/ GRANIT
SEAL
SINK
FIXING BRACKET
SCREW
FIXING BRACKET

All Plados sinks can be installed in the normal way, wich is built-in in modular kitchens worktops, or they can be installed undermounted. For undermounting installation, please order the suitable installation kit (code **GANCIST10**)

### ATTENTION!

In order to help marble cutters, on demand we can send by email the geometric scheme in .dfx or .dwg formats to cut the worktop. Moreover, always on demand, we can also send by priority mail the paper cut-out. All the cutouts can be easily downloaded by Plados website. In all the supplied schemes the sink edge is flush with the worktop (solution A)

## FLUSH-MOUNT


SINK
WORKTOP IN MARBLE/ GRANIT
15°
SINK
SEAL


WORKTOP IN COMPOUND MATERIAL (LIKE CORIAN)
SINK
SEAL

Sinks for flush-mount are supplied on demand.
**Ask for details before ordering**

## CORRECT PROCEDURE TO DRILL THE SINK

Plados sinks are provided with pre-punched hole (picture A) placed on both sides in order to choose where to place the mixer tap and the suitable accessories.
NOTE
In order to avoid any possible damage to the sink, we strictly recommend to drill these pre-punched holes using a Ø35-37 mm drill following the procedure shown in pictures B and C

On request Plados supplies either the complete drilling kit (code KITFRESA) composed by the drill plus the joint, or just the drill (code FRESA). Drills are lon lasting as they are diamond coated. SEE pictures D and E.



**Fig. E** - Diamond coated drill for Ø35-37 mm hole



**Fig. A** - Pre-punched holes in plados sinks



**Fig. B** - Place the tool on the pre-punched hole



**Fig. C** - Drill the hole


Code
KITFRESA

**Fig. D** - Kit composed by joint+drill

# Sinks accessories

## POLYETHYLENE CHOPPING BOARDS

Code **TAGP81** - 466x300 mm
*for Corax series except CX0981*
Code **TAGP75** - 423x357 mm
*for mod. DB09910*

Code **SPTAGPOL** - 440x303 mm
*for Spazio series*
Code **TAGP61** - 431x340 mm
*for mod. PL11610*
Code **TAGP78** - 434x378 mm
*for mod. FTA8320*
Code **PLT99POL** - 445x310 mm
*for Harmony series except HR0860-HR0992-DB09910-HR0792*
*for Roxana series*
*for mod. PL0991*
Code **PLTAGPOL** - 425x376 mm
*for mod. PL1162-AT1162*
*PL0861-PL0862*

Code **PLTGTDPOL** - Ø382 mm
*for mod. PL4351*
Code **TAGP48** - Ø417 mm
*for mod. PL5101*

Code **TAGP77** - 242x194 mm
*for all series.*



POLYETHYLENE CHOPPING BOARD for **HR0860**

Code **TAGP79** - 297x160 mm
*for VAS93*

Code **TAGP89** - 318x168 mm
*for SPVASPOL*

## OTHER POLYETHYLENE CHOPPING BOARDS

**TAGP63**
for mod. PL11620

**TAGP61**
for mod. PL11610

**TAGP60**
for mod. PL08610

**TAGP37**
for mod. FU11621

**SPATAGPOL**
for mod. SP0981

**TAGP74**
for ONE series

## CRYSTAL CHOPPING BOARDS

**TAGCR**



**TAGCRLUX**



Code **TAGCR** - 479x271 mm
*for all mod. except:*
CX0981, SP0981, PL4351, PL5101, PK0991, ON0861, PR0861, HR1061, HR0860, HR0992, HR0862, HR0792, RO0861, HR0791, HR6151, HR6150, ON7610, ON5610, N4110.

Code **TAGCRLUX**
for mod. LX8620
Available colours: black, white, mirror.

## BASIN COVER

**PLCOPVAS (White)** - *for mod. PL1162-PL0861-PL0862*
**COL29 (black or terre de france)** - *for mod. FTA8320-HR4321*
**COL45 (black or terre de france)** - *for mod. DB09910-DOA8320*

## POLYCARBONATE COLANDERS

Code **SPVASPOL** - 297x160 mm
for mod. CX0991-SP0991-SP0992-SP0981-PL0991-PK0991-HR0991-HR0791

## Sinks exhibitor

Code **EXP**

## WOOD CHOPPING BOARDS

**TAGL80** - 466x300 mm
*For Corax series except CX0981*

**UNIVERSAL CHOPPING BOARD**

Code **TAGL88** - 520x300 mm
*For all rectangular sinks*

Wood chopping boards for **HR0860**

**TAGIRK1**
**TAGIRK2**
with hole for VAS93
**TAGIRK3**
with hole for SPVASPOL

**PLTGTDIRK**
for mod. PL4351
**TAGL47**
for mod. PL5101

## OTHER WOOD CHOPPING BOARDS

**TAGL21**
for mod. PL11610
**TAGL22**
for mod. PL08620
**TAGL23**
for mod. PL11620
**TAGL29**
for mod. FTA8320
**TAGL40**
for mod. FU11621
**TAGL44**
per serie ONE
**TAGL45**
for mod. DB09910

**PLT99IRK**
for Harmony series except: HR1061, HR0860, HR0992, DB09910, HR0792;
for Roxana series, for mod. PL0991
**SPATAGIRK**
for mod. SP0981
**HRTAGIRK**
for mod. HR1061
**PLTAGIRK**
for mod. PL0991, AT1162, PL0861, PL0862
**TAGL20**
for mod. PL08610

## PLASTIC COATED BASKET



**CES46**
for mod. PL4351, PL5101

## STAINLESS STEEL BASKETS

**SPCESINX**
*for all series except:*
PL4351, PL5101, HR0860, HR1061, PL08610, PL08620

**CESINX1**
for mod. HR0860

## STAINLESS STEEL BASKETS

**CES47**
for mod. PL4351, PL5101

**SPVASINX**
for mod. CX0991, SP0991, SP0992, SP0981, PL0991, PK0991, HR0991, HR0791

**VASCN**
for mod. CX0991
**VASSP**
for mod. SP0991, SP0992, SP0981, PL0991, PK0991, HR0991
**LXVASINX** For LUX series

## STAINLESS STEEL COLANDERS

**VAS93**
for mod. HR0860
**VAS94**
for mod. HR6151

**HRVASINX**
for mod. HR1061

## GARBAGE DISPOSALS

**TBG05-1/2 HP**
**TBG075-3/4 HP**

**Disposals accessories**

**PLRCOM**
Remote control

**PLMET**
chromed metal push-button

**PLABS**
Chromed ABS push-button

**KITSIVA**
Valve kit (siphon valve)

## OTHER ACCESSORIES

**SCA190**
Automatic drain for 1 basin sink

**SCA290**
Automatic drain for 2 basins sink

**DISP**
Liquid soap dispenser

**GANCIST10**
Under-mount installation kit

**KITFRESA**
Drilling kit (joint + drill)

**FRESA**
Diamond coated drill Ø35-37 mm

**Square drain**

PILQUA10 (single basin sink)
PILQUA20 (double basin sink)

**Drain cover**
COPPILT10
Kit composed by drain cover + drain basket. It can be ordered after the purchase of the sink

**Overflow cover**
CTPC10P

It can be ordered after the purchase of the sink

**Rectangular overflow**
TPPE10P

Must be ordered together with the sink

## CLEANING PRODUCTS NEW

From today Plados offers a line of detergents **specifically designed for the treatment of sinks made of composite material. BRILLCARE** is a cleanser for daily use, **EXTRACARE** is a descaling detergent for stubborn dirt**.**

100% eco FRIENDLY

### BRILLCARE NEW

**BRILLCARE** is a water-based cleanser formulated with **plant-derived agents** quickly biodegradable, recognized and certified ECOLABEL. It is ideal for **daily cleaning of Plados sinks and all washable surfaces in the kitchen**. The formula provides excellent cleaning with an easy application; **BRILLCARE** is kind to surfaces and leaves no streaks.

Wpro
Terra bianca

### TERRA BIANCA

**TERRA BIANCA** is a paste detergent, antibacterial, non-abrasive, which polishes and protects all surfaces even the most delicate. The package contains a double sponge with a soft side (white) and an abrasive side (blue). Cleanses and removes grease from kitchen surfaces, including the sink, with a pleasant lemon fragrance.

### EXTRACARE NEW

**EXTRACARE** is a **water-based descaling detergent for extra cleaning**. Active against the most stubborn dirt, it is **designed not to damage the shine of sinks made of composite material.** Due to its dense formulation is also indicated to be applied on vertical surfaces. The product, for its characteristics, dries very slowly, allowing the active agents contained in the mixture to react for the longest possible time. It is very easy to apply and leaves no streaks.

**BRILLCARE**
Water based cleanser, 500ml.

**EXTRACARE**
Water based descaling agent, 500ml.

**TERRA BIANCA**
Antibacterial paste detergent, 250g.

# PLADOS SINKS AND TAP COLOUR MATCHING WITH HOBSAND OVENS OF THE MAIN APPLIANCES MANUFACTURERS

| COLOURS OF THE MAIN APPLIANCES MANUFACTURERS | PLADOS SINKS TEXTURE, COLOURS AND CODES | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 🟥 ULTRAQUARTZ | | 🟩 GRANIT | 🟧 microULTRAGRANIT | | | | | | | | ■ Ultrametal | |
| | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| | UQ Grey Anthracite 75 | UQ Old White 87 | GR White "AR" 89 | UG Earth 50 | UG Old stone 51 | UG Jasmine 56 * | UG Matt Black 70 * | UG Opal White 90 | UG Graphite Grey 91 | UG Oat 94 | UG Ebony Black 95 | UM Copper 60 | UM Auburn 62 |
| **HOTPOINT-ARISTON** | Anthracite Grey AN | Old White OW | White granite GW | | Old stone OS | Old white OW | Anthracite Grey AN | White Granite GW | Amber Grey OG | Oat AV | | | |
| **INDESIT** | Grey Anthracite AN | | | | | | Grey Anthracite AN | | | Oat AV | | | |
| **REX/ELECTROLUX** | Cast iron | White Antico | | | | Old white | Cast iron | Pietra PP | | Sand PS | Lava PL | Copper | |
| **CANDY** | Cast iron GH | White Antico BA | | Earth TE | | Old white BA | Cast iron GH | Pietra PI | | Oat AV | Lava PL | | |
| **WHIRLPOOL** | Anthracite | Jasmine | | | | Jasmine | Anthracite | | | Oat | | | |
| **SMEG** | Anthracite | Panna | | Beige GB | | Cream | Anthracite | White GW | | Oat GAV | Black GN | Copper | |
| **NARDI** | Carbon C | Ivory A | | | | Ivory A | Carbon C | Cream granite JA | | Beige granite JB | Black granite JN | | Copper R |
| **PLADOS** | Grey Anthracite 75 | Old white 87 | | | | Jasmine 56 | Grey Anthracite 75 | Opal White 90 | | Oat 94 | Ebony Black 95 | Copper 60 | |
| **TELMA** | Duralast Anthracite 22 | Duralast Old white 19 | | | | Telmagranit Jasmine 51 | Duralast Anthracite 22 | Telmagranit White 31 | | Telmagranit Oat 29 | Telmagranit Black 30 | Metalquartz Copper 70 | |
| **FRANKE** | | | | | | Old white | | White granite | | Oat | Ardesia | | |
| **JOLLYNOX** | Grey Anthracite | | | Granito Beige | Granito Pietra Vecchia | | Grey Anthracite | Snow granite | | Oat granite | Black Granite | | Copper |
| **TERIM/F.LLI ONOFRI** | Anthracite | Old white | | | | Old white | Anthracite | | | Sand | | Copper | |
| **FOSTER** | Anthracite | | | | | | Anthracite | | | Oat | | | |

**N.B. - White (01), Black (12) and Terre de France (66) Ultraquartz colours can be matched with the corresponding colours of the above mentioned manufacturers.**

*** SUGGESTED MATCHING**

# PLADOS SINKS AND TAP COLOUR MATCHING WITH HOBSAND OVENS OF THE MAIN APPLIANCES MANUFACTURERS

| COLOURS OF THE MAIN APPLIANCES MANUFACTURERS | PLADOS SINKS TEXTURE, COLOURS AND CODES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Ultrametal | | | | | ULTRAVITRO | | | | ULTRAQUARTZ translucent | | microULTRAGRANIT | |
| | UM Aluminium 41 | UM Titanium 42 | UM Anthracite 43 | UM Black 44 | UM Beige 45 | UV Ice ICE 05 | UV Mirror black "MR" 06 | UV Silver SL 07 | UV Champagne CH 09 | UQ Silver 32 | UQ Champagne "AR" 33 | UG Sahara 55 | UG Milk white 58 |
| **HOTPOINT-ARISTON** | Silver SL<br>Stainless steel | Stainless steel | Ice ICE<br>Stainless steel | Mirror MR<br>Stainless steel | Stainless steel | Ice<br>ICE | Mirror black<br>MR | Silver<br>SL | Champagne<br>CH | Silver<br>SL | Champagne<br>CH | Champagne<br>CH | White<br>Crystal |
| **REX/ELECTROLUX** | Stainless steel | Stainless steel | Stainless steel | Stainless steel | Stainless steel | | | | | | | | Crystal<br>White |
| **CANDY** | Stainless steel | Stainless steel | Spark Graphite<br>Stainless steel | Cristallo Black<br>Stainless steel | Stainless steel | | | Spark<br>Aqua | | Spark<br>Aqua | | | White |
| **WHIRLPOOL** | Stainless steel | Stainless steel | Graphite<br>Stainless steel | Stainless steel | Stainless steel | | | | | | | | Crystal<br>White |
| **SMEG** | Aluminium<br>Stainless steel | Stainless steel | Stainless steel | Stainless steel | Stainless steel | | | | | | | | Crystal<br>White |
| **NARDI** | Stainless steel | Stainless steel | Stainless steel | Stainless steel | Stainless steel | | | Hot<br>Ice | | Hot<br>Ice | | | White |
| **PLADOS** | Stainless steel | Titanium 42<br>Stainless steel | Stainless steel | Stainless steel | Stainless steel | | | | | | | | |
| **TELMA** | Stainless steel | Titanium 72<br>Stainless steel | Stainless steel | Stainless steel | Stainless steel | | | | | | | | |
| **FRANKE** | Aluminium<br>Stainless steel | Stainless steel | Grey Stone<br>Stainless steel | Graphite<br>Stainless steel | Stainless steel | | | | | | | Sahara | |
| **JOLLYNOX** | Aluminium<br>Stainless steel | Chrome<br>Stainless steel | Titanium<br>Stainless steel | Stainless steel | Stainless steel | | | | | | | | White |
| **TERIM/F.LLI ONOFRI** | Stainless steel | Stainless steel | Stainless steel | Stainless steel | Stainless steel | | | | | | | | White |
| **FOSTER** | Stainless steel | Stainless steel | Stainless steel | Stainless steel | Stainless steel | | | | | | | | White |
| **SIEMENS** | | | | | | | | | | | | | Crystal<br>White |
| **BOSCH** | Stainless steel | Stainless steel | Stainless steel | Stainless steel | Stainless steel | | | | | | | | Crystal<br>White |

**N.B. - We suggest to match Plados Ultrametal colours with stainless steel hobs and ovens of the main appliances manufacturers**

# **Plados Mixers**: technology and colour

## PLADOS MIXERS TRACEABILITY

In order to ensure maximum warranty to the consumer, Plados has implemented a procedure allowing, through an identification code, to trace the batch of production of the articles and its components.

All Plados mixers are manufactured with materials and components suitable for distribution and contact with water for human consumption and therefore in compliance with the national guidelines (Decree No. 194 of April 6, 2004 - Ministry of Health) and Community (EEC Directive N: 98/93/EC).

# A touch of class to the kitchen with the new collection of elegant and refined mixer taps by Plados.

# **Plados Mixers:** a wide and complete range

- Mixers with Semplifix® system allowing fast installation
- Mixers with water and energy saving cartridge
- Bicolour mixers
- Poly-tech mixers
- Mixers with folding spout allowing near-window installation
- Mixers in “Old Bronze” and “Old Copper” finishings
- Stainless steel mixers
- Tri-flow mixers for purified water supply

## Advices for a correct installation of the mixers

Mixers operate correctly if the following conditions are met: • **Water system pressure: 1,5-5 bar** • **Maximum temperature: 80° C**

If the pressure is higher than 5 bars, we suggest to install a pressure reducer. Sand grains or other impurities often present in the water, can damage the mixer cartridge, or the rubber seals and provoke leaks. Installing a couple of filter taps in the flexible hoses of hot and cold water preserves the mixers from these problems.

Not all mixers are available in all finishings

# **Plados Mixers**: continuous research and innovation

To improve sealing and durability of PLADOS mixers with swivel spout, both in the version with extractable shower, and in the version without extractable shower, the following important changes have been made:

- The inner body is made with **innovative techno-polymers** instead of brass. These materials **do not contain heavy metals** such as **lead**, nickel and copper, and they are certified to be in contact with food. Furthermore, in the course of time, a body made with technopolymers prevents harmful accumulations of limestone and other impurities present in drinking water, as instead happens in a body made of brass.

**ADVANTAGE: unlike traditional body with brass, the body made with techno-polymers do not release lead and other heavy materials then it's particularly suitable for the health of consumers.**

- The body is equipped with a sophisticated double lip seal that ensures a better seal even in the presence of particularly calcareous and aggressive waters.

**ADVANTAGE: no leakage even in particularly severe operating conditions**



**Sophisticated DOUBLE-LIP SEAL that ensures a better seal even in the presence of particularly calcareous and aggressive waters.**

**Inner body made with INNOVATIVE TECHNO-POLYMERS certified to be in contact with food and without heavy metals such as lead, nickel and copper.**

# PLADOS **POLYTECH** MIXERS

Made with innovative techno-polymers, the new Polytech mixers are **completely non-toxic**, **hypoallergenic, recyclable** and **suitable for contact with food**. As these materials do not contain heavy metals such as lead, they are not releasing them during use. Polytech mixers are also equipped with Semplifix® system, allowing fast installation from above.

LEAD-FREE
TEFLON
INTERNAL BODY
NON-TOXIC
ANALLERGIC
RECYCLABLE

## ADVANTAGES

- It is manufactured with very innovative engineering plastics that **do not contain** and thus **do not release lead**, as occurs in normal brass mixers and therefore is particularly suitable for health.
- It is equipped Semplifix® system that allows quick mounting from above.
- It is much lighter than a brass mixer of similar shape.
- It is proposed at very competitive prices.
- It is made with recyclable, non-toxic and anallergic materials; suitable for contanct with food and eco-friendly.

## ECO-FRIENDLY AND SUITABLE FOR CONTANCT WITH FOOD



**ANALLERGIC**



### POLYTEK10

**Single lever mixer with round spout. Spout is in brass while internal body is in teflon. External body in carbon fiber if painted or ABS if chromed.**

- Special ceramic discs cartridge Ø 35 mm
- Spout rotation: 360°
- Installation hole: Ø35 mm
- Water saving with aerator 8,3 litres
- Opening in cold water position
- Stainless steel hoses for water supply connection, L=35 cm
- Nylon reinforcement for installation
- Base diameter: 55 mm



**ANALLERGIC**



### POLYTEK20

**Single lever mixer with L shaped spout. Spout is in brass while internal body is in teflon. External body in carbon fiber if painted or ABS if chromed.**

- Special ceramic discs cartridge Ø 35 mm
- Spout rotation: 360°
- Installation hole : Ø35 mm
- Water saving with aerator 8,3 litres
- Opening in cold water position
- Stainless steel hoses for water supply connection, L=35 cm
- Nylon reinforcement for installation
- Base diameter: 55 mm



**ANALLERGIC**



### POLYTEK30

**Single lever mixer with round spout. Spout is in brass while internal body is in teflon. External body in carbon fiber if painted or ABS if chromed.**

- Special ceramic discs cartridge Ø 35 mm (bassa)
- Spout rotation: 360°
- Installation hole : Ø35 mm
- Water saving with aerator 8,3 litres
- Opening in cold water position
- Stainless steel hoses for water supply connection, L=35 cm
- Nylon reinforcement for installation
- Base diameter: 55 mm

**NEW**



**ANALLERGIC**



### POLYTEK40

**Single lever mixer with "old fashion" design. Spout is in brass while internal body is in teflon. External body in carbon fiber if painted or ABS if chromed.**

- Special ceramic discs cartridge Ø 35 mm (bassa)
- Spout rotation: 360°
- Installation hole : Ø35 mm
- Water saving with aerator 8,3 litres
- Opening in cold water position
- Stainless steel hoses for water supply connection, L=35 cm
- Nylon reinforcement for installation
- Base diameter: 55 mm

Not all mixers are available in all finishings

# Mixers


190 mm
160 mm
Ø53 mm
41 Max
360 mm
220 mm
G3/ 8″

**PLUSMIX**
**Single lever mixer with tubular spout.**

- Special ceramic discs cartridge Ø 40 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 53 mm


190 mm
130 mm
Ø53 mm
41 Max
360 mm
220 mm
G3/ 8″

**PLUSMIXEXT**
**Single lever mixer with extractable shower (double jet: standard and shower).**

- Special ceramic discs cartridge Ø 40 mm
- Spout rotation 120°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Extractable shower hose 1,5 mt
- Base diameter: 53 mm


160 mm
135mm
Ø40 mm
41 Max
340 mm
178 mm
G3/ 8″

**PAMIX**
**Single lever mixer with tubular spout.**

- Special ceramic discs cartridge Ø 35 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 50 mm

NEW


215 mm
163 mm
140 mm
Ø50 mm
60 Max
340 mm
G3/8″

**STARMIX**
**Single lever mixer with tubular spout.**

- Special ceramic discs cartridge Ø 40 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 53 mm

NEW


190 mm
135 mm
Ø50 mm
60 Max
340 mm
200 mm
G3/8″

**STARMIXEXT**
**Single lever mixer with extractable shower (double jet: standard and shower).**

- Special ceramic discs cartridge Ø 40 mm
- Spout rotation 120°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Extractable shower hose 1,5 mt
- Base diameter: 54 mm

NEW


215 mm
163 mm
140 mm
Ø50 mm
60 Max
340 mm
G3/8″

**MIXBIX**
**Single lever mixer with tubular spout.**

- Special ceramic discs cartridge Ø 40 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 53 mm

NEW


190 mm
135 mm
Ø50 mm
60 Max
340 mm
200 mm
G3/8″

**MIXBIXEXT**
**Single lever mixer with extractable shower (double jet: standard and shower).**

- Special ceramic discs cartridge Ø 40 mm
- Spout rotation 120°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Extractable shower hose 1,5 mt
- Base diameter: 50 mm


210 mm
190 mm
155 mm
Ø50 mm
41 Max
360 mm
G3/8″

**QUARMIX**
**Single lever mixer with tubular spout.**

- Special ceramic discs cartridge Ø 40 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 50 mm

CHROME VERSION

Not all mixers are available in all finishings

# Mixers


Ø54 mm
60 Max
340 mm
220 mm
120 mm
180 mm
G3/8"

**QUARMIXEXT**
**Single lever mixer with extractable shower (double jet: standard and shower).**

- Special ceramic discs cartridge Ø 40 mm
- Spout rotation 120°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Extractable shower hose 1,5 mt
- Base diameter: 54 mm

CHROME VERSION


235 mm
10°
203 mm
Ø 50
50 MAX
360 mm
G 3/8"

**NEOMIX**
**Single lever mixer with tubular spout.**

- Special ceramic discs cartridge Ø 40 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 49 mm

CHROME VERSION


230 mm
260 mm
Ø49 mm
180 mm
360 mm
G 3/8"

**SUPERMIX**
**Single lever mixer.**

- Special ceramic discs cartridge Ø 35 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 49 mm

CHROME VERSION


200 mm
255 mm
340 mm
Ø50 mm
360 mm
G 3/8"

**PETRAMIX**
**Single lever mixer with tubular spout**

- Special ceramic discs cartridge Ø 40 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 50 mm


210 mm
230 mm
260 mm
Ø50 mm
360 mm
G 3/8"

**EUROMIX**
**Single lever mixer with cast spout.**

- Special ceramic discs cartridge Ø 35 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 50 mm

CHROME VERSION


200 mm
200 mm
Ø50mm
Ø35 mm
62 mm
135mm
298 mm
M 15X1
G 3/8"

**EUROMIXEXT**
**Single lever mixer with extractable shower (double jet: standard and shower).**

- Special ceramic discs cartridge Ø 35 mm
- Spout rotation 180°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Extractable shower hose 1,5 mt
- Base diameter: 50 mm

CHROME VERSION


200 mm
210 mm
320 mm
Ø49 mm
360 mm
G 3/8"

**SLIMMIX**
**Single lever mixer with tubular spout**

- Special ceramic discs cartridge Ø 35 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 49 mm

CHROME VERSION


15°
173,5 mm
326,5 mm
201 mm
Ø 50 mm
62 mm
Ø 35 min
135 mm
M 15x1
298 mm
G 3/8"

**PUNTOBPEX**
**Single lever mixer with tubular spout and extractable head.**

- Special ceramic discs cartridge Ø 35 mm
- Spout rotation 180°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Extractable shower hose 1,5 mt
- Base diameter: 50 mm

CHROME VERSION

Not all mixers are available in all finishings

# Mixers




205 mm
5°
244 mm
321 mm
Ø50mm
Ø32 Min
52 Max
330 mm
G3/8″

**VENMIX20**
**Single lever mixer with tubular spout**

- Special ceramic discs cartridge Ø 35 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 50 mm

**CHROME VERSION**




275 mm
305 mm
Ø50 mm
180 mm
60 Max
340 mm
G3/8″

**VENMIXL**
**Single lever mixer with L shaped round spout**

- Special ceramic discs cartridge Ø 35 mm
- Spout rotation 180°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 50 mm

**CHROME VERSION**




200 mm
275 mm
310 mm
Ø 50 mm
62 mm
Ø 35 min
135 mm
M 15x1
298 mm
G 3/8″

**VEMIXEXTL**
**Single lever mixer with L shaped round spout and extractable shower**

- Special ceramic discs cartridge Ø 35 mm
- Spout rotation 180°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 c
- Extractable shower hose 1,5 mt
- Base diameter: 50 mm

**CHROME VERSION**




200 mm
200 mm
Ø 50 mm
62 mm
Ø 35 min
135 mm
M 15x1
298 mm
G 3/8″

**VENMIXEXT**
**Single lever mixer with extractable shower.**

- Special ceramic discs cartridge Ø 35 mm
- Spout rotation 180°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Extractable shower hose 1,5 mt
- Base diameter: 50 mm

**CHROME VERSION**

**NEW**




370 mm
15°
170 mm
260 mm
Ø 45 mm
Ø32 mm
335 mm
60 Max
G3/8″

**SLIMFIX**
**Single hole tap with cast spout and cross handles.**

- Special ceramic discs cartridge Ø 25 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 c
- Base diameter: 50 mm




168 mm
369,5 mm
15°
183 mm
262,5 mm
Ø50 mm
Ø32 MIN
55 MAX
305 mm
G 3/8″

**PAMIX50** *
**Single lever mixer with round spout**

- Special ceramic discs cartridge Ø 35 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=50 cm
- Base diameter: 50 mm




370 mm
245 mm
183 mm
62 mm
Ø50
Ø35 MIN
298 mm
M 15X1
G 3/8″

**PAMIX50E** *
**Single lever mixer with round spout and extractable head**

- Special ceramic discs cartridge Ø 35 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=50 cm
- Extractable shower hose 1,5 mt
- Base diameter: 50 mm




195 mm
230 mm
255 mm
Ø50 mm
360 mm
G 3/8″

**NOVOMIX**
**Single lever foldable mixer suitable for under-window installation**

- Special ceramic discs cartridge Ø 50 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 50 mm
- Height when folded 85 mm



Height when closed 80 mm

Not all mixers are available in all finishings

# Mixers

NEW


205 mm
360 mm
265 mm
168 mm
50 mm
Ø 32
50 mm
350 mm
G3/8″

**FLATMIX**
**Single lever mixer with squared design and rectangular spout**

- Special ceramic discs cartridge Ø 40 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 50x50 mm

NEW


195 mm
397.5 mm
259.5 mm
55 mm
75 MAX
355 mm
G 3/8″

**QUADRO10**
**Single lever mixer with squared spout and side lever**

- Special ceramic discs cartridge Ø 35 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 48x48 mm

NEW


192 mm
177.5 mm
25°
157 mm
Ø 50 mm
Ø 32 min
315 mm
45 max
G 3/8″

**TIZEK**
**Single lever mixer with round spout.**

- Special ceramic discs cartridge Ø 40 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 50 mm

*** bicolour version:**
**Chrome/TelmaGranit**
**Chrome/Metalquartz**

NEW


180 mm
211 mm
25°
196 mm
149 mm
Ø 50 mm
Ø 33 mm
45 MAX
375 mm
155 mm
M15 x 1
G3/8″

**TIZMIXEXT**
**Single lever mixer with extractable shower (double jet: standard and shower).**

- Special ceramic discs cartridge Ø 40 mm
- Spout rotation 120°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Extractable shower hose 1,5 mt
- Base diameter: 50 mm

*** bicolour version:**
**Chrome/TelmaGranit**
**Chrome/Metalquartz**

NEW


190 mm
25°
20 mm
256 mm
168 mm
32 mm
45 mm
Ø 32 min
427 mm
G1/2″

**QUAMIXL**
**Single lever mixer with column body and squared design**

- Special ceramic discs cartridge Ø 35 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 50x50 mm


200 mm
277 mm
170,5 mm
Ø50
Ø Ø32 MIN
325 mm
46 MAX
G 3/8″

**PAMIX30** *
**Single lever mixer with column body**

- Special ceramic discs cartridge Ø 35 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=50 cm
- Base diameter: 50 mm

NEW


256,5 mm
213 mm
83 mm
255 mm
138 mm
237 mm
Ø55 mm
355 mm
75 Max
G3/8″

**ZENMIX**
**Single lever mixer with flat rotating spout**

- Special ceramic discs cartridge Ø 28 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 50 mm


235 mm
250 mm
190 mm
Ø50 mm
340 mm
G3/ 8″

**MIXOLD**
**Single lever mixer with "old fashion" design**

- Special ceramic discs cartridge Ø 40 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 50 mm

**VERSION WITH OLD BRONZE DETAILS**

Not all mixers are available in all finishings




235 mm
265 mm
220 mm
Ø50 mm
340 mm
G3/ 8"



Height when closed 80 mm

**MIXOLDST**

- Ceramic discs screws, max rotation 90°
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 51 mm




235 mm
300 mm
190 mm
Ø51 mm
340 mm
G3/ 8"

**OLDSTYLE**
**Single hole tap with "old fashion" design**

- Ceramic discs screws, max rotation 90°
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 51 mm

VERSION WITH OLD BRONZE DETAILS




235 mm
280 mm
170 mm
Ø45 mm
340 mm
G3/ 8"

**IDEAOLD**
**Single hole tap with "old fashion" design**

- Ceramic discs screws, max rotation 90°
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 51 mm




200 mm
300 mm
190 mm
Ø45 mm
340 mm
G3/ 8"

**IDEALMIX**
**Single hole tap with cast spout and cross handles.**

- Ceramic discs screws, max rotation 180°
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 45 mm

CHROME VERSION




194 mm
442 mm
300 mm
183 mm
Ø50
Ø32 MIN
55 MAX
305 mm
G 3/8"

**SPRINGP20**
**Single lever mixer with spring spout**
**Available only in chrome finishing**

- Special ceramic discs cartridge Ø 35 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 50 mm

NEW




224,5 mm
184 mm
458 mm
1125 mm
162 mm
127,5 mm
Ø 50 mm
85 MAX
330 mm
G3/8"

**SHOWERMID**
**Single lever mixer with spring spout and detachable head**

- Special ceramic discs cartridge Ø 35 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=50 cm
- Base diameter: 50 mm

NEW




475 mm
190 mm
230 mm

**SPRINGP30**
**Single lever mixer with spring spout and detachable head**

- Special ceramic discs cartridge Ø 35 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=50 cm
- Base diameter: 50 mm

**Available only in chrome finishing**



**SHOWER10**
**Professional single lever mixer with spout and separated shower.**

- Special ceramic discs cartridge Ø 35 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=80 cm
- Base diameter: 45 mm


235 mm
640 mm
150 mm
190 mm
Ø45 mm
85 MAX
330 mm
G3/8"

***NOTE:**
Models: PAMIX50, PAMIX50E, PAMIX30 e SPRINGP20 are also available in PVD finishing. PVD treatment is a chemical process based on titanium and zirconium vapours, which makes the surface look like stainless steel, but at very low costs. Not all mixers are available in all finishes.

## MIXERS ALLOWING FAST INSTALLATION - SEMPLIFIX® system

Taps with ultra-fast installation from above are equipped with the new and revolutionary Semplifix ® system.

Semplifix® system makes installation of the tap fast and easy, as well as its replacement in time.

All steps of the installation, as shown in the images, take place from above while avoiding the installer to operate in awkward and difficult positions.

European Patent No. 0808952
U.S. Patent N ° 6328059



Insert from the top
the universal base "Semplifix"
in the sink hole.



Screw, with the supplied allen wrench, the locking device. With this operation, the base is fixed to the sink.



Fix the faucet at the base
using the second allen key provided.

## WATER AND ENERGY SAVING MIXERS - AQUASAVE & POWERSAVE

**"AQUASAVE"** makes you save water.

The first step of the mixing cartridge makes water flow out at 6 litres per minute, widely sufficient for most common uses. By lifting the lever up to the second step, the water flow increases to 12 litres per minute, with an average pressure of 3 bar.

With PLADOS "POWERSAVE" system, by opening the lever in the start position there will be dispensed only cold water, avoiding waste of gas or electricity.
To get mixed water just turn the lever to the left to the centre position step, which corresponds to the ideal temperature recommended. This step is also important for its function against accidental burns. In the case of real need of very hot water, it can be obtained with a further rotation of the handle to the left.



**WATER & ENERGY SAVING**



**2** - External position:
100% hot water

**1** - Center position:
burnproof step and
comfort temperature

**0 - Start position:
100% cold water**





**TIZMIX**
**Single lever mixer.**

- Special water and energy saving ceramic discs cartridge Ø 40
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 50 mm





**GIOMIX**
**Single lever mixer with round spout.**

- Special water and energy saving ceramic discs cartridge Ø 40
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 58 mm

CHROME VERSION

Not all mixers are available in all finishings



**VEMIXLUX**
**Single lever mixer with L shaped body.**

- Special ceramic discs cartridge Ø 35 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 48 mm



**ARCBEX**
**Single lever mixer with round spout and extractable head.**

- Special water and energy saving ceramic discs cartridge Ø 40
- Spout rotation 180°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Extractable shower hose 1,5 mt
- Base diameter: 58 mm



**ELMIX**
**Single lever mixer with extractable shower (double jet: standard and shower).**

- Special ceramic discs cartridge Ø 40 mm without distributor
- Spout rotation 180°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Extractable shower hose 1,5 mt
- Base diameter: 50 mm

CHROME VERSION



**MIXCLASSIC**
**Single lever mixer with "old fashion" design.**

- Special water and energy saving ceramic discs cartridge Ø 40
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 50 mm

# NEWMIX SERIES

**A very elegant and refined series, matching modern and linear designs. Now with 3 new models available in the specified colours.**

AVAILABLE COLOURS



**NEWMIX10**
**Single lever mixer with squared tubular spout.**

**AVAILABLE COLOURS:**
**- 58 UG MILK WHITE**
**- 70 UG MATT BLACK**
**- 94 UG OAT**

- Special ceramic discs cartridge Ø 35
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 45 mm

AVAILABLE COLOURS



**NEWMIX20**
**Single lever mixer with round tubular spout.**

**AVAILABLE COLOURS:**
**- 58 UG MILK WHITE**
**- 70 UG MATT BLACK**
**- 94 UG OAT**

- Special ceramic discs cartridge Ø 35
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 45 mm

Not all mixers are available in all finishings

# Mixers - NEWMIX Series

AVAILABLE COLOURS

▢ ■ ▨

- 58 UG MILK WHITE
- 70 UG MATT BLACK
- 94 UG AVENA



Ø22
215
414
236
4°
M8
422
MAX 50
G 3/8"
G 3/8"

**NEWMIX80**
**Single lever mixer with round spout.**

- Special ceramic discs cartridge Ø 28
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 52 mm



414
232
4°
215
MAX 50
M8
430
G 3/8"

**NEWMIX90**
**Single lever mixer with round spout and extractable head.**

- Special ceramic discs cartridge Ø 28
- Spout rotation 130°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Extractable head hose 1,5 mt
- Base diameter: 52 mm



219
91°
Ø28
281
251
Ø45
Ø35
M8
45°
45°
530
max85
G 3/8"

**NEWMIX30**
**Single lever mixer with L shaped spout and swiveling head**

- Special ceramic discs cartridge Ø 35
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 45 mm



Ø20
2°
337
260
214
410
MAX 50
G 3/8"
G 3/8"

**NEWMIX60**
**Single lever mixer with squared spout.**

- Special ceramic discs cartridge Ø 28
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 48 mm



4°
Ø20
346
229
193
152
410
MAX 50
G 3/8"
G 3/8"

**NEWMIX50**
**Single lever mixer with round spout.**

- Special ceramic discs cartridge Ø 28
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 48 mm



Ø20
2°
377
226
194
M8
MAX 50
419
G 3/8"

**NEWMIX70**
**Single lever mixer with round spout and extractable head.**

- Special ceramic discs cartridge Ø 28
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 48 mm

Not all mixers are available in all finishings

# Mixers - TOPLINE Series




204
155
⌀20
25°
120
181
⌀50
Max. 10.5
420
G3/8

**MIG01**
**Single lever mixer with tubular spout.**

- Special ceramic discs cartridge Ø 40 mm without distributor
- Spout rotation 120°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=45 cm
- Base diameter: 50 mm


155
⌀20
25°
118
181
⌀50
⌀32
Max. 38
455
G3/8

**MIG02**
**Single lever mixer with extractable head.**

- Special ceramic discs cartridge Ø 35 mm without distributor
- Spout rotation 120°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=30 cm
- Extractable shower hose 1,5 mt
- Base diameter: 50 mm


184
⌀20
189
215
150
⌀50
⌀32
Max. 7
400
G3/8

**MIG03**
**Single lever mixer with tubular spout.**

- Special ceramic discs cartridge Ø 35 mm without distributor
- Spout rotation 120°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=45 cm
- Base diameter: 50 mm


188
⌀20
215
150
⌀50
⌀32
Max.
421
G3/8

**MIG04**
**Single lever mixer with extractable head.**

- Special ceramic discs cartridge Ø 35 mm without distributor
- Spout rotation 120°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=30 cm
- Extractable shower hose 1,5 mt
- Diametro base: 50 mm


173
13°
Ø 24
Ø 42.5
230
331
Ø 48
Max. 53
408
G3/8"

**MIG08**
**Single lever mixer with tubular spout.**

- Special ceramic discs cartridge Ø 35 mm without distributor
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=45 cm
- Base diameter: 48 mm


198
13°
⌀24
215
278
⌀42.5
⌀48
Max. 53
408
G3/8"

**MIG09**
**Single lever mixer with tubular spout.**

- Special ceramic discs cartridge Ø 35 mm without distributor
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=45 cm
- Base diameter: 48 mm

Not all mixers are available in all finishings

# DIGITAL TAPS

The latest generation of Plados digital mixers are provided with an electronic control unit of size 19x13 cm to be placed under the sink, containing the motorized valve. Touching the center button on the head of the spout, is delivered cold water. By using the + or - buttons you can vary the flow rate of the water jet while using the buttons blue and red you can vary the temperature. Holding down the center button for at least 3 seconds, it activates the jet shower of the outer ring.


56 mm
Ø32 mm
425 mm
200 mm
216 mm
58 Min
62,5 mm
500 Max
500 Max
COM
91 mm
129 ±0,25
ON/OFF
COM
15V
43
73
168,5 ±0,25
46,5
74
187,5
67
44
129
15V
220V
53
FLEX L=370
G3/8"

**DIGIT10D**
**Digital mixer with extractable double jet shower**

- Special ceramic discs cartridge
- Spout rotation 90°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 60 mm
- Batteries autonomy 24h


Ø24 mm
326 mm
100 mm
Ø 35 mm
14 mm
60 MAX
169 mm
15°
218 mm
50 mm
Ø 35 Min
700 mm
500 Max
500 Max
COM
129 ±0,25
ON/OFF
COM
15V
168,5 ±0,25
46,5
74
187,5
67
44
129
91
220V
FLEX L=500
G3/8"



**DIGIT20**
**Digital mixer with round spout.**

- Special ceramic discs cartridge
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 60 mm
- Batteries autonomy 24h


35 mm
56 mm
50 mm
64 mm
530 mm
382 mm
188 mm
190 mm
64 mm
Ø33,8 mm
48 Max
500 Max
500 Max
COM
129 ±0,25
ON/OFF
COM
15V
43
73
168,5 ±0,25
46,5
74
187,5
67
44
129
15V
91
220V
53
FLEX L=370
G3/8"

**DIGIT30D**
**Digital mixer with extractable head**

- Special ceramic discs cartridge
- Spout rotation 180°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 60 mm
- Batteries autonomy 24h

Not all mixers are available in all finishings

# STAINLESS STEEL “INOXA” SERIES

**Stainless steel is highly hygienic and is widely used in the food industry, as it does not release toxic substances such as lead or copper. It does not undergo processes of corrosion from atmospheric agents or from brackish waters and is completely ecological and recyclable.**

STAINLESS STEEL




R107
215
410
Ø25
260
49
114
Ø45
65

**INOXA10L** (Polished steel)
**INOXA11S** (Brushed steel)

**Single lever mixer with round spout**




R107.5
80
Ø25
469
215
237
48
142
Ø47
6
98
66

**INOXA20L** (Polished steel)
**INOXA21S** (Brushed steel)

**Single lever mixer with round spout and extractable head**




R38
210
310
Ø22
283
49
102
Ø45
6
84
59

**INOXA30L** (Polished steel)
**INOXA31S** (Brushed steel)

**Single lever mixer with L shaped spout**




239
82
R55
222
Ø28.5
310
292
Ø33
95
142
108
Ø47
6
98
66
Ø47
Ø50

**INOXA40L** (Polished steel)
**INOXA41S** (Brushed steel)

**Single lever mixer with L shaped spout and extractable head**




247
20
205
276
43X43
7

**INOXA50L** (Polished steel)
**INOXA51S** (Brushed steel)

**Single lever mixer with L shaped rectangular spout**




247
50
27X27
10X10
209
286
179
42X42
6
51X51

**INOXA60L** (Polished steel)
**INOXA61S** (Brushed steel)

**Single lever mixer with squared column design body**

Not all mixers are available in all finishings

# TRI-Flow Mixers



Plados Tri-Flow mixers allow to manage 3 waters independently (2 belonging to the standard water system plus a third one: for example that of a accumulation tank) or to manage the purified water (for example from a filtering system). Inside the spout there are 2 separate pipes where the water (in yellow the standard water supply, in blue the third purified) flow and never come into contact.

**NOTE!**

Unlike triflow mixers proposed by many other manufacturers, triflow mixers proposed by Plados are made with the **inner body realized with innovative techno-polymers** instead of brass, **certified to be in contact with food**, and with **the tube of adduction to the distribution of purified water** in stainless steel for some models and in polyethylene for others. It represents a huge leap of quality for consumer's health as, it is well known, the brass in contact with water releases heavy metals such as **lead, copper and nickel, elements very dangerous for the health**.

Besides that, the mixers with swivel spout are equipped with **sophisticated double lip seal** that ensures a better seal even in the presence of particularly calcareous and aggressive waters.


INNER BODY MADE WITH INNOVATIVE TECHNO-POLYMERS AND A DOUBLE LIP SEAL
STAINLESS STEEL PIPE SUPPLYING PURIFIED WATER


POLYETHYLENE PIPE SUPPLYING PURIFIED WATER


245 mm
193 mm
183 mm
max
50 mm
Ø50 mm
G3/8"

**MIS12**
**Single lever mixer with 3 flows and 2 pipes supplying separate water. The control for the third flow is independent.**

- Special triflow ceramic discs cartridge Ø 40 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 50 mm


245 mm
193 mm
183 mm
max
50 mm
Ø50 mm
G3/8"

**FLO30**
**Single lever mixer with 3 flows and 2 pipes supplying separate water. The control for the third flow is independent.**

- Special triflow ceramic discs cartridge Ø 40 mm
- Spout rotation 360°
- Installation hole Ø35 mm
- Stainless steel hoses for water supply connection, L=35 cm
- Base diameter: 50 mm


220 mm
244 mm
402 mm
max
50 mm
Ø50 mm
G3/8"

**FLO60**
**Double lever mixer with 3 flows, orientable spout with 2 internale separated pipes. Right handle for standard mixer, Left handle for purified water.**


140 mm
280 mm
310 mm
max
50 mm
G3/8"

**FLO65**
**Double lever mixer, orientable spout, 2 separated pipes. Right handle for standard mixer, Left handle for purified water.**
**Available only chromium plated.**

**FLO85**
**Single lever mixer with 3 flows, orientable spout with 2 internale separated pipes. The control for the third flow is independent.**
**Available only chromium plated.**



**BEVERINO**



**BEV10**



**Taps to supply filtered water**

## HELLO MIXERS by DMP

HELLO mixers follow your movements, opening the water when you need, and and closing it when it's no longer needed, thanks to 2 sensors:

- **ON / OFF Sensor**: This is the front sensor that opens and closes the water with a simple wave of the hand; if left open, it will close automatically after 3 minutes.
- **ECO-FLOW Sensor**: is the vertical sensor that is activated with the presence of hands or a container and it closes instantly when you leave.

**Hello never leaves you**: in case of dead batteries you can use the traditional lever.

- POWER: 2 x 1.5 V alkaline batteries - size AA
- Batteries life: **3 YEARS** WITH AN AVERAGE OF 200 ACTUATIONS PER DAY!



NEW

**HELLO100**
Single lever mixer with 2 sensors for automatic water supply



NEW

**HELLO200**
Single lever mixer with 2 sensors for automatic water supply



## SPARE PARTS FOR MIXERS

**DOCC**
Extractable shower

**FLEXD**
Flexible hosefor extractable shower - 150 cm

**PLCARTMIX**
**PLCARTMIXP**
Mixer cartridge

**FLEX**
Flessibile
hoses for mixer



**AERAT**
Aerator

**CONFMIX**
Installation kit

**RUBFIL**

Shut-off valve with inspectable filter (to be placed under sink)

**RUBLAV**

Dishwasher connection tap

**CARIDEN**

Water and energy saving cartridge

This cartridge comes standard in mixers with AA logo. In other mixers it can be supplied upon request, with a price increase.



**AERID**

Water saving aerator

This aerator limits the water flow to 8 liters per minute. It can be supplied upon request and with a price increase.



**AERANF**

Anti-theft aerator

It can be supplied upon request, in all models with 24x1 aerator, with a price increase.

**LEVCL**

Clinic lever

This lever can be supplied in different models, upon request and with a price increase.

**ATTENTION! To request a spare part specify the mixer's code. For models and colours on demand, delivery time 2/3 weeks.**

# COORDINATED APPLIANCES

For traditional interiors as for modern and contemporary ones, Plados offers a wide range of appliances in coordinated colors, to match with the most popular sinks colours.

Plados offersa a wide range of hobs, ovens and cooker hoods, elegant and refined, are supplied in many colors matching the sink, in order to form a perfect suite with sink + mixer + hob + oven + cooker hood.

## Available COLOURS for PERFECT MATCHES

### Classic FINISHINGS

**UQ 75**
**Grigio Antracite**



**UQ 87**
**Bianco Antico**



**UG 90**
**Bianco Opale**



**UG 94**
**Avena**

**UG 95**
**Nero Ebony**

### MODERN FINISHINGS

**UQ 75 - Grigio Antracite**

**UG 94 - Avena**

**UM 41 - Alluminio**

**UM 42 - Titanio**

**39 - Acciaio Inox**

# Built-in hobs and ovens

## Perfect combinations:

Harmony and elegance in the kitchen by Plados

# Built-in hobs and ovens

## SLIM

NEW

### SLIM75

75 cm modern hob, 4 gas burners + 1 triple ring, ignition via control knob, safety valves, black knobs, cast iron pan supports.

MODERN

Available colours:

70 UG
58 UG

NEW

### SLIM60

60 cm modern hob, 3 gas burners + 1 triple ring, ignition via control knob, safety valves, black knobs, cast iron pan supports.

MODERN

Available colours:

70 UG
58 UG

NEW

### FOPR60S

Modern multifunction 60 cm built in oven, "A" class efficiency, cast iron black knobs and handle, 5 functions, tangential cooling fan, cold door security, internal "easy to clean" enamel, internal light, timer.

MODERN

Available colours:

70 UG
58 UG
39 Inox

## STAR

NEW

### STAR75

60 cm classic hob, 4 gas burners + 1 triple ring, ignition via control knob, safety valves, black knobs, enamelled pan supports.

CLASSIC

Available colours:

75 UQ
90 UG
95 UG
42 UM
87 UQ
94 UG
41 UM
39 Inox

NEW

### STAR60

60 cm classic hob, 4 gas burners, ignition via control knob, safety valves, black knobs, enamelled pan supports.

CLASSIC

Available colours:

75 UQ
90 UG
95 UG
42 UM
87 UQ
94 UG
41 UM
39 Inox

NEW

### FOPR60C

60 cm classic built-in multifunction oven, "A" class efficiency, cast iron black knobs and handle, 5 functions, tangential cooling fan, cold door security, internal "easy to clean" enamel, internal light, timer.

CLASSIC

Available colours:

75 UQ
90 UG
95 UG
87 UQ
94 UG

NEW

### FITER

60 cm classic built-in multifunction oven, "A" class efficiency, old bronze knobs and handle, 5 functions, tangential cooling fan, cold door security, internal "easy to clean" enamel, internal light, timer.

CLASSIC

Available colours:

90 UG
94 UG

### STAR60CL

60 cm hob with lateral knobs, 4 gas burners, ignition via control knob, safety valve, enamelled pan supports.

CLASSIC

Available colours:

94 UG

# Built-in hobs and ovens

## KRISTAL

NEW



### KRISTAL75

75 cm modern hob, 4 gas burners + 1 triple ring, ignition via control knob, safety valves, aluminium finishing knobs, cast iron pan supports.

MODERN

Available colours:

White Crystall · Black Crystall

NEW



### KRISTAL60

60 cm modern hob, 3 gas burners + 1 triple ring, ignition via control knob, safety valves, aluminium finishing knobs, cast iron pan supports.

MODERN

Available colours:

White Crystall · Black Crystall

NEW

### FOPR60K

60 cm modern built-in multifunction oven, "A" class efficiency, aluminium finishing knobs and handle, 5 functions, tangential cooling fan, cold door security, internal "easy to clean" enamel, internal light, timer.

MODERN

Available colours:

White Crystall · Black Crystall · 39 Inox

NEW

### STAR90

90 cm classic hob, 4 gas burners + 1 triple ring, ignition via control knob, safety valves, black knobs, enamelled pan supports.

Available colours:

94 UG · 39 Inox

## SYMBOLS

- HOB WIDTH
- BUILT-IN HOLE DIMENSION
- TRIPLE RING
- SAFETY GAS
- ELECTRONIC IGNITION
- CAST IRON PAN SUPPORT
- LATERAL HALOGEN LAMPS
- FAST DEFROSTING
- GRILL
- COMPLETE GRILL
- TRADITIONAL COOKING
- FAN COOKING
- TRADITIONAL FAN COOKING
- FAN GRILL
- FINAL FAN COOKING
- FINAL COOKING
- A CLASS ENERGY EFFICIENCY
- OVEN CAPACITY
- COOLING FAN
- FULL GLASS INNER DOOR
- TELESCOPIC RACKS

## ACCESSORIES

**GRGHI62**
Set of cast iron pan supports
for **STAR60**

**GRGHI75**
Set of cast iron pan supports
for **STAR75**

**MABRO60**
Set of 4 old bronze knobs
for **STAR60.**

**MABRO75**
Set of 5 old bronze knobs
for **STAR75.**

# **PANDORA** cooling drawer

Pandora is a cooling drawer that **allows you to store five bottles of wine** (two of which can be Champagne bottles), and matches perfectly the design of your kitchen. The overall **dimensions** are, in fact, those **of a standard drawer** of a normal kitchen. The front panel can be made of glass or stainless steel, on which you can install any type of panel, in line with the kitchen style, whether classic or modern.
The design is simple and professional, the materials used are **stainless steel 304 for the interior, wood and aluminum**. The compartment is lit by led lights and the simple and intuitive control panel allows to set **different temperature levels**.

The guides of the drawer are **provided with soft-call** for the closure, in order to reduce sudden movements of the bottles. The product is designed to allow installation in a column of two pieces, for example, one to contain red wines and the other to contain white wines or sparkling.

| **FEATURES:** | |
|---|---|
| Capacity | 22 lt |
| Number of bottles | 5 bottles<br>(2 sparkling) |
| Power supply | 220-240V / 50Hz |
| Temperature range | 8-18°C |
| Controls | Touch |
| Dimensions (A x L x P) | See drawing |
| Wheight | 15Kg |
| Cooling system | Peltier (NO CFC) |
| Illumination | LED |







ATTENTION! Pandora works properly at an ambient temperature of 30°C or less. Pandora can't be installed under a oven.

# RETRO’ Fridges

For lovers of **vintage** style, Plados introduces a new line of **retro refrigerators**, which enclose, in a shell of funny colors, **highly competitive "A" CLASS energy performances**.

Code **HDTM** **NEW**

Fridge with 2 doors, painted sheet metal, capacity 222 liters net, energy class A+

| **Technical specifications** | mod. **HDTM** |
|---|---|
| Sizes H x W x D - mm | 1560 x 545 x 558 |
| Material | Painted sheet metal |
| Controls | Electronic thermostat |
| Energy Class | A+ |
| Classe climatica | N - ST - T |
| Refrigerator capacity - lt | 180 |
| Freezer capacity - lt | 42 |
| Freezing capacity- Kg | 2 |
| Preservation time - h | 14 |
| Noisiness - dB(A) | 37 dB(A) |

RAL colors available on request.
For information on prices, feasibility and delivery times please contact the Company.

A touch of **color** combined with soft shape. A design that **perfectly matches** to **contemporary interiors**, as well to **classic or country styles**.

Code **HDSD** **NEW**

Single door refrigerator, painted sheet metal, capacity 190 liters net, energy class A+

| **Technical specifications** | mod. **HDSD** |
|---|---|
| Sizes H x W x D - mm | 1234 x 545 x 560 |
| Material | Painted sheet metal |
| Controls | Electronic thermostat |
| Energy Class | A+ |
| Classe climatica | N - ST - T |
| Refrigerator capacity - lt | 174 |
| Freezer capacity - lt | 16 |
| Freezing capacity- Kg | 2 |
| Preservation time - h | 11 |
| Noisiness - dB(A) | 39 dB(A) |

RAL colors available on request.
For information on prices, feasibility and delivery times please contact the Company.

# COMPACT Dishwasher

Code **LAVAST10** Code **LAVAST20** **NEW**

The all-new compact dishwasher by Plados is large enough to accommodate up to 6 standard place settings, has 6 wash programs and provides **"A" CLASS** energy savings. Ideal for singles, couples and small families, can be installed in the built-in compartment intended for the oven. The built-in model **LAVAST10** involves the installation of a custom panel in line with the decor of the kitchen. The model **LAVAST20** has a stainless steel door with handle (see picture).

| | |
|---|---|
| Dimensions H x W x D (mm) | 438 x 550 x 500 |
| Tub material | Stainless Steel |
| Controls | Electronic with display |
| Energetic efficiency | A+ |
| Washing efficiency | A |
| Drying efficiency | A |
| Rinse aid indicator | Yes |
| Salt indicator | Yes |
| Delayed progam | Yes |
| **Thecnical specifications** | |
| N° of Progams | 6 |
| Water consumption (lt) | 6,5 |
| Noisiness dB(A) | 55 |
| Coperti | 6 |



Electricity, water and drain connections on both sides.

Space for installation

# Cooker hoods

To complete a unique suite Plados also offers several types of hoods, in colours to match the sink, faucet and appliances. Plados hoods, in addition to being of high aesthetic value are available in many colors and are practical and functional.

## Available colours for cooker hoods

| | | | | | | |
|---|---|---|---|---|---|---|
| 58 UG | 70 UG | 87 UQ | 90 UG | 94 UG | 95 UG | 39 |
| Milk white | Black matt | Old white | Opal white | Avena | Ebony Black | Stainless steel |

## RND



**Sizes:**
60 cm - Code **RND60**
90 cm - Code **RND90**
**Controls:** slider
**Lighting:** 2 x 40W traditional bulbs
**Air outlet:** Ø150 mm
**Filters:** aluminiunm panels **
**Air capacity:** 520 mc/h

87 UQ 70 UG 94 UG

## PT



**Sizes:**
60 cm - Code **PT60**
90 cm - Code **PT90**
**Controls:** slider
**Lighting:** 2 x 40W traditional bulbs
**Air outlet:** Ø150 mm
**Filters:** aluminiunm panels **
**Air capacity:** 520 mc/h

87 UQ 70 UG 94 UG

** Washable in the dishwasher

# Cooker hoods

## PC2



**Installation:** Wall
**Sizes:**
60 cm - Code **PC260**
90 cm - Code **PC290**
**Controls:** mechanical buttons
(3 speeds)
**Lighting:** 2 x 40W traditional bulbs
**Air outlet:** Ø150 mm
**Filters:** aluminiunm panels **
**Air capacity:** 520 mc/h

90 UG 94 UG 95 UG 39 S. steel

## P7



**Installation:** Wall
**Sizes:**
60 cm - Code **P760**
90 cm - Code **P790**
**Controls:** mechanical buttons
(3 speeds)
**Lighting:** 2 x 20W halogen lamps
**Air outlet:** Ø150 mm
**Filters:** aluminiunm panels **
**Air capacity:** 520 mc/h

90 UG 94 UG 95 UG 39 S. steel

## RB

NEW



**Installation:** Wall
**Sizes:**
60 cm - Code **RB60**
90 cm - Code **RB90**
**Controls:** slider
**Lighting:** 2 x 20W halogen lamps
**Air outlet:** Ø150 mm
**Filters:** aluminiunm panels **
**Air capacity:** 520 mc/h

87 UQ

## RS

NEW



**Installation:** Wall
**Sizes:**
60 cm - Code **RS60**
90 cm - Code **RS90**
**Controls:** slider
**Lighting:** 2 x 20W halogen lamps
bulbs**Air outlet:** Ø150 mm
**Filters:** aluminiunm panels **
**Air capacity:** 500 mc/h

87 UQ

## WDVN



**Installation:** Wall
**Sizes:**
60 cm - Code **PE7560**
90 cm - Code **PE7590**
**Controls:** slider (3 speeds)
**Lighting:** 2 x 20W halogen lamps
**Air outlet:** Ø150 mm
**Filters:** aluminiunm panels **
**Air capacity:** 520 mc/h

87 UQ

## P590



**Installation:** Wall
**Sizes:**
90 cm - Code **P590**,
**Controls:** electronic touch control
(4 speeds + timer)
**Lighting:** 2 x 20W halogen lamps
**Air outlet:** Ø150 mm
**Filters:** aluminiunm panels **
**Air capacity:** 580 mc/h

58 UG 70 UG 39 S. steel

## PV1



**Installation:** Wall
**Sizes:**
60 cm - Code **PV160**
90 cm - Code **PV190**
**Controls:** mechanical buttons
(3 speeds)
**Lighting:** 2 x 20W halogen lamps
**Air outlet:** Ø150 mm
**Filters:** aluminiunm panels **
**Air capacity:** 520 mc/h

58 UG 70 UG 39 S. steel

## EK

NEW



**Installation:** Wall
**Sizes:**
60 cm - Code **GLASS60**
90 cm - Code **GLASS90**
**Controls:** mechanical buttons
**Lighting:** 2 x 20W halogen lamps
**Air outlet:** Ø150 mm
**Filters:** aluminiunm panels **
**Air capacity:** 580 mc/h

Stainless steel with black or white crystal

☐ White 01
■ Black 12

- Every cooker hood is packed separately
- Cooker hoods are supplied in the version "extractor hood". To use them in the filtering version, you have to order carbon filters:

- code **FICARRET** (rectangular filters for models: **P5, P7, CUB, CLN, CUBIL, PV1**)
- code **FICARRNT** (round filters for models: **EK, RND, PT, PC2, RB, RS, WDVN**).

** Washable in the dishwasher

## CUB



**Installation:** Wall
**Sizes:**
40 cm - Code **CUB40**, 60 cm - Code **CUB60**
**Controls:** electronic touch control (4 speeds + timer)
**Lighting**: 2 x 40W traditional bulbs
**Air outlet**: Ø150 mm
**Filters:** aluminiunm panels **
**Air capacity:** 520 mc/h

⬜ 58 UG ⬛ 70 UG ▨ 39 S. steel

## CLN38



**Installation:** Wall
**Sizes:** 38 cm - Code **CLN38**
**Controls:** electronic touch control (4 speeds + timer)
**Lighting:** 2 x 20W halogen lamps
**Air outlet:** Ø150 mm
**Filters:** aluminiunm panels **
**Air capacity:** 580 mc/h

⬜ 58 UG ⬛ 70 UG ▨ 39 S. steel

## CUBIL40



**Installation:** Isle
**Sizes:** 40 cm - Code **CUBIL40**
**Controls:** electronic touch control (4 speeds + timer)
**Lighting:** 2 x 20W halogen lamps
**Air outlet:** Ø150 mm
**Filters:** aluminiunm panels **
**Air capacity:** 580 mc/h

⬜ 58 UG ⬛ 70 UG ▨ 39 S. steel

# PLADOS opens to COLOURS in the world of Cooker Hoods



Even in decorative hoods PLADOS opens to the wonderful world of colours. Upon request, can be supplied many models and many other colors than those found in the main catalog. These images are representative.

** Washable in the dishwasher

# Vitroceramic hobs

The advent of the vitroceramic hobs is really changing the environment in the kitchen. Compared with the most common gas hobs, vitroceramic hobs, whose heat is produced by electrical resistances, fit perfectly with modern environments. Our ceramic glass hobs offer several advantages:

- **are practical, functional and very easy to clean;**
- **are safe and effective;**
- **have a refined and elegant design.**

May be provided with conventional knobs or touch controls that allows, at the touch of a button, to adjust the process of cooking.



## SNAPPY

**FREESTANDING!**
Cook directly in the garden with your friends!

**Sizes:** 43x35x6 cm
**Cooking zones:** 1
**Power regulation knob**
**Power indicator**

## PBTE320



**Sizes:** 29x51x4 cm
**Cooking zones:** 2
**Residual heat indicator for each zone**
**Touch control** with 9 power regulation levels
**Power indicator**
**Child lock**

## PBMA320



**Sizes:** 29x51x4 cm
**Cooking zones:** 2
**Residual heat indicator for each zone**
**Power regulation knobs**
**Power indicator**
**Child lock**

## PBT941 T **NEW**

**Sizes:** 90x35x4 cm
**Cooking zones:** 4
**Double zones:** 1
**Touch control** with 9 power regulation levels
**Power indicator**
**Residual heat indicator for each zone**
**Child lock**
**Timer**

## PBTO640

**Sizes:** 58x51x4 cm
**Cooking zones:** 4
**Residual heat indicator for each zone**
**Touch control** with 9 power regulation levels
**Power indicator**
**Child lock**
**Timer**

## PBMA640

**Sizes:** 58x51x4 cm
**Cooking zones:** 4
**Residual heat indicator for each zone**
**Power regulation knobs**
**Power indicator**

## PBTO742PET **NEW**

**Caratteristiche tecniche**

**Larghezza:** 77 cm
**Zone di cottura:** 4
**Doppie zone:** 2

**Sizes:** 77x51x4 cm
**Cooking zones:** 4
**Double zones:** 2
**Touch control** with 9 power regulation levels
**Power indicator**
**Residual heat indicator for each zone**
**Child lock**
**Timer**

# Induction hobs

Induction technology uses cold energy to generate heat only where needed: on the bottom of the cooking pans, optimizing this way the efficiency in terms of speed and energy saving.


Comparison of consumption in Watt

## STRENGTHS OF INDUCTION HOBS:

- **SAFE**: For installation you need just a socket, no gas connection. The surface remains cold while you cook.
- **FAST**: The high efficiency of this technology will dramatically reduce the cooking time.
- **EFFICIENT**: 90% of the absorbed energy is transformed into heat, and once lifted the pot from the surface, the heat transfer is interrupted, avoiding wastes.
- **SMART**: The system automatically recognizes the size of the pot placed on the hob.
- **CLEAN**: The smooth SURFACE and the absence of heat on the hobs makes cleaning quick and easy.

## PBIL320T

**NEW**

**Sizes:** 29x51x4 cm
**Cooking zones:** 2
**Power indicator**
**Residual heat indicator for each zone**
**Touch control** with 9 levels power regulation
**Child lock**
**Timer:** automatic shut-off for each zone

## PBIM430

**NEW**

**Sizes:** 45x51x4 cm
**Cooking zones:** 3
**Power indicator**
**Residual heat indicator for each zone**
**Touch control** with 9 levels power regulation
**Child lock**

## PBIM640

**NEW**

**Sizes:** 58x51x5 cm
**Cooking zones:** 4
**Power indicator**
**Residual heat indicator for each zone**
**Touch control** with 9 levels power regulation
**Child lock**
**PMS:** power management system (energy saving)
**Booster**: delivers extra power to a cooking zone

## PBIL640T

**NEW**



Available colours
□ White 01
■ Black 12

**Sizes:** 58x51x5 cm
**Cooking zones:** 4
**Power indicator**
**Residual heat indicator for each zone**
**Touch control** with 9 levels power regulation
**Child lock**
**PMS:** power management system (energy saving)
**Booster**: delivers extra power to a cooking zone
**Timer:** automatic shut-off for each zone

## PBIL74GT

**NEW**



Available colours
□ White 01
■ Black 12

**Sizes:** 77x51x5 cm
**Cooking zones:** 4
**Power indicator**
**Residual heat indicator for each zone**
**Touch control** with 9 levels power regulation
**Child lock**
**PMS:** power management system (energy saving)
**Booster**: delivers extra power to a cooking zone
**Timer:** automatic shut-off for each zone

## PBIS930T

**NEW**

**Sizes:** 90x35x5 cm
**Cooking zones:** 3
**Power indicator**
**Residual heat indicator for each zone**
**Touch control** with 9 levels power regulation
**Child lock**
**PMS:** power management system (energy saving)
**Booster**: delivers extra power to a cooking zone
**Timer:** automatic shut-off for each zone

## PBIS940T

**NEW**

**Sizes:** 90x35x5 cm
**Cooking zones:** 4
**Power indicator**
**Child lock**
**Residual heat indicator for each zone**
**Touch control** with 9 levels power regulation
**PMS:** power management system (energy saving)
**Booster**: delivers extra power to a cooking zone
**Timer:** automatic shut-off for each zone

## PBIU320T

**NEW**

**Sizes:** 29x51x5 cm
**Cooking zones:** 2
**Residual heat indicator for each zone**
**Touch control** with 9 levels power regulation
**Child lock**
**Automatic pot diameter recognition**
**Timer:** automatic shut-off for each zone
**PMS:** power management system (energy saving)
**Booster** delivers extra power to a cooking zone
**Bridge function:** combines 2 cooking zones to form a single one
**Pause/Recall:** pauses the hob/resumes cooking with the latest configuration.

## PBIU640T

**NEW**



**Sizes:** 29x51x5 cm
**Cooking zones:** 4
**Residual heat indicator or each zone**
**Touch control** with 9 evels power regulation
**Child lock**
**Automatic pot diameter ecognition**
**Timer:** automatic shut-off or each zone
**PMS:** power management system (energy saving)
**Booster** delivers extra power to a cooking zone
**Bridge function:** combines 2 cooking zones to form a single one
**Pause/Recall:** pauses the hob/resumes cooking with the latest configuration.

## AVAILABLE FRAMES FOR VITROCERAMIC AND INDUCTION HOBS


1 - **STANDARD - WITHOUT FRAME**


**3** - PROFILE PU


**7** - PROFILE PA


**8** - WITHOUT FRAME
(BEVELED GLASS)

# Stainless Steel Sinks

## OLYMPUS 116.20

Code **CO11621** right drainer **CO11622** left drainer

**LV/2** 1160x500

**Double-basin sink with drainer**



*For 80 cm cabinet*
*Counter top hole 1140x480 mm*

AVAILABLE FINISHES

POLISHED SCRATCH-PROOF

TAGL88
TAGCR
SPCESINX
PLCOPVAS

8 mm EDGE BUILT-IN

18/10 stainless steel
Welded basin

## OLYMPUS 100.15

Code **CO10011** right drainer **CO10012** left drainer

**LV/1½** 1000x500

**Sink with one and a half basins and drainer**



*For 60 cm cabinet*
*Counter top hole 980x480 mm*

AVAILABLE FINISHES

POLISHED SCRATCH-PROOF

TAGL88
TAGCR
SPCESINX
PLCOPVAS

8 mm EDGE BUILT-IN

18/10 stainless steel
Welded basin

## OLYMPUS 86.10

Code **CO08611** right drainer **CO08612** left drainer

**LV/1** 860x500

**Single-basin sink with drainer**



*For 45 cm cabinet*
*Counter top hole 840x480 mm*

AVAILABLE FINISHES

POLISHED SCRATCH-PROOF

TAGL88
TAGCR
SPCESINX
PLCOPVAS

8 mm EDGE BUILT-IN

18/10 stainless steel
Welded basin

## OLYMPUS 86.20

Code **CO08620**

**LV/2** 860x500

**Double-basin sink**



*For 90 cm cabinet*
*Counter top hole 840x480 mm*

AVAILABLE FINISHES

POLISHED SCRATCH-PROOF

TAGL88
TAGCR
SPCESINX
PLCOPVAS

8 mm EDGE BUILT-IN

18/10 stainless steel
Welded basin

## OLYMPUS 79.10

Code **CO07911** right drainer **CO07912** left drainer

**LV/1** 790x500

**Double-basin sink with drainer**



*For 45 cm cabinet*
*Counter top hole 770x480 mm*

AVAILABLE FINISHES

POLISHED SCRATCH-PROOF

TAGL88
TAGCR
SPCESINX
PLCOPVAS

STANDARD BULT-IN

18/10 stainless steel
Welded basin

## OLYMPUS 79.20

Code **CO07920**

**LV/2** 790x500

**Double-basin sink**



*For 80 cm cabinet*
*Counter top hole 770x480 mm*

AVAILABLE FINISHES

POLISHED SCRATCH-PROOF

TAGL88
TAGCR
SPCESINX
PLCOPVAS

STANDARD BULT-IN

18/10 stainless steel
Welded basin

## REFRESH 83.20

Code **LISP838320S**

**LVA/2** 830x500

**Corner sink with two basins and drainer**



*For 90x90 cm corner cabinet*
*Conter top hole 810x810 mm*

AVAILABLE FINISHES

POLISHED SCRATCH-PROOF


For 900x900
corner cabinet
900

TAGL88
TAGCR
SPCESINX
PLCOPVAS

8 mm EDGE BUILT-IN

18/10 stainless steel
Welded basin

## VINTAGE 83.20

Code **VIA8321** right drainer **VIA8322** left drainer

**LVA/2** 830x500

**Corner sink with two basins and drainer**





*For 90x90 cm corner cabinet or 2 rect.*
*90 cm - Counter top hole 810x810 mm*

AVAILABLE FINISHES

POLISHED SCRATCH-PROOF


For 900x900
corner cabinet
or two rectangular
900 cabinet
900

TAGL88
TAGCR
SPCESINX
PLCOPVAS

8 mm EDGE BUILT-IN

18/10 stainless steel
Welded basin

## VINTAGE 100.10

Code **VI10011** right drainer **VI10012** left drainer

**LV/1** 1000x500

**Sink with one large basin and drainer**



*For 60 cm cabinet*
*Counter top hole 980x480 mm*

AVAILABLE FINISHES

POLISHED

TAGL88
TAGCR
SPCESINX

STANDARD BULT-IN

18/10 stainless steel
Welded basin

## VINTAGE 86.00

Code **VI08600**

**LV/1** 860x500

**Sink with one large basin**



*For 80 cm cabinet*
*Counter top hole 840x490 mm*

AVAILABLE FINISHES

POLISHED

TAGL88
TAGCR
SPCESINX

8 mm EDGE BUILT-IN

18/10 stainless steel
Welded basin

## VINTAGE 86.15

Code **VI08621** right drainer **VI08622** left drainer

**LV/1½** 860x500

**Sink with one and a half basins and drainer**



*For 80 cm cabinet*
*Counter top hole 840x490 mm*

AVAILABLE FINISHES

POLISHED

TAGL88
TAGCR
SPCESINX

8 mm EDGE BUILT-IN

18/10 stainless steel
Welded basin

## VINTAGE 86.10

Code **VI08611** right drainer **VI08612** left drainer

**LV/1** 860x500

**Sink with one large basin and drainer**



*For 80 cm cabinet*
*Counter top hole 840x490 mm*

AVAILABLE FINISHES

POLISHED

TAGL88
TAGCR
SPCESINX

8 mm EDGE BUILT-IN

18/10 stainless steel
Welded basin

# Stainless Steel Sinks

## VINTAGE 58.15

Code **VI05811** right drainer **VI05812** left drainer

**LV/1½** 580x500

**Sink with one and a half basins**





8 mm EDGE BUILT-IN

*For 60 cm cabinet*
*Counter top hole 560x480 mm*

AVAILABLE FINISHES

POLISHED SCRATCH-PROOF

18/10 stainless steel
Welded basin

## REFRESH 44.10

Code **LISP504410S60**

**LV/1** 440x500

**Single-basin sink**



**Available only with basket Ø2" (Ø60 mm)**

8 mm EDGE BUILT-IN

*For 45 cm cabinet*
*Counter top hole 420x480 mm*

AVAILABLE FINISHES

POLISHED

18/10 stainless steel

## REFRESH 43.10

Code **LISP000431S**

**LVT** Ø435

**Round sink**



STANDARD BULT-IN

*For 45 cm cabinet*
*Counter top hole Ø410 mm*

AVAILABLE FINISHES

POLISHED SCRATCH-PROOF

18/10 stainless steel

## PREMIUM 116.20

Code **MO11621** right drainer **MO11622** left drainer

**LV/2** 1160x500

**Double-basin sink with drainer**



STANDARD BULT-IN

*For 80 cm cabinet*
*Counter top hole 1140x480 mm*

AVAILABLE FINISHES

BRUSHED

18/10 stainless steel
Single-press

## PREMIUM 100.15

Code **MO10011** right drainer **MO10012** left drainer

**LV/1½** 1000x500

**Sink with one and a half basins and drainer**



STANDARD BULT-IN

*For 60 cm cabinet*
*Counter top hole 980x480 mm*

AVAILABLE FINISHES

BRUSHED

18/10 stainless steel
Single-press

## PREMIUM 86.10

Code **MO08611** right drainer **MO08612** left drainer

**LV/1** 860x500

**Single-basin sink with drainer**



STANDARD BULT-IN

*For 45 cm cabinet*
*Counter top hole 840x480 mm*

AVAILABLE FINISHES

BRUSHED

18/10 stainless steel
Single-press

## PREMIUM 86.20

Code **MO08620**

**LV/2** 860x500

**Double-basin sink**



STANDARD BULT-IN

*For 90 cm cabinet*
*Counter top hole 840x480 mm*

AVAILABLE FINISHES

BRUSHED

18/10 stainless steel
Single-press

## PREMIUM 79.10

Code **MO07911** right drainer **MO07912** left drainer

**LV/1** 790x500

**Single-basin sink with drainer**



8 mm EDGE BUILT-IN

*For 45 cm cabinet*
*Counter top hole 770x480 mm*

AVAILABLE FINISHES

BRUSHED

18/10 stainless steel
Single-press

## PREMIUM 79.20

Code **MO07920**

**LV/2** 790x500

**Double-basin sink**



STANDARD BULT-IN

*For 80 cm cabinet*
*Counter top hole 770x480 mm*

AVAILABLE FINISHES

BRUSHED

18/10 stainless steel
Single-press

## MAKI 116.20

Code **MK11621** right drainer **MK11622** left drainer

**LV/2** 1160x500

**Double-basin sink with drainer**



SLIM BULT-IN



*With mixer tap and automatic drain hole.*
*Provided with automatic drain.*

*For 80 cm cabinet*
*Counter top hole 1150x490 mm*

AVAILABLE FINISHES

POLISHED

18/10 stainless steel

## MAKI 100.15

Code **MK10021** right drainer **MK10022** left drainer

**LV/1½** 1000x500

**Sink with one and a half basins and drainer**



SLIM BULT-IN



*With mixer tap and automatic drain hole.*
*Provided with automatic drain.*

*For 80 cm cabinet*
*Counter top hole 990x490 mm*

AVAILABLE FINISHES

POLISHED

18/10 stainless steel

## MAKI 100.10

Code **MK10011** right drainer **MK10012** left drainer

**LV/1** 1000x500

**Sink with one large basin and drainer**



SLIM BULT-IN



*With mixer tap and automatic drain hole.*
*Provided with automatic drain.*

*For 60 cm cabinet*
*Counter top hole 990x490 mm*

AVAILABLE FINISHES

POLISHED

18/10 stainless steel

All Telma sinks are made of extra thick 18/10 stainless steel. The layer of soundproof material on the bottom of the sinks minimizes the noise made by the impact of water from the top on the bottom of the sinks. In standard version sinks are supplied with the hole for tap. Sinks with drainer can be supplied in right or in left version. **Right drainer means that the drainer is on the right while left drainer means that the drainer is on the left**. Sinks can be supplied even without the hole for tap, on request.

# Stainless Steel Sinks

## MAKI 86.10

Code **MK08611** right drainer **MK08612** left drainer

**LV/1** 860x500 **Single-basin sink with drainer**

SLIM BULT-IN


MCCES


MCVASS

*With mixer tap and automatic drain hole.*
*Provided with automatic drain.*

*For 45 cm cabinet*
*Counter top hole 850x490 mm*

AVAILABLE FINISHES

POLISHED

18/10 stainless steel

## MAKI 76.20

Code **MK07620**

**LV/2** 760x500 **Double-basin sink**

SLIM BULT-IN


MCCES


MCVASS

*With mixer tap and automatic drain hole.*
*Provided with automatic drain.*

*For 80 cm cabinet*
*Counter top hole 750x490 mm*

AVAILABLE FINISHES

POLISHED

18/10 stainless steel

## MAKI 76.00

Code **MK07600**

**LV/1** 760x500 **Sink with one large basin**

SLIM BULT-IN


MCCES


MCVASS

*With mixer tap and automatic drain hole.*
*Provided with automatic drain.*

*For 80 cm cabinet*
*Counter top hole 750x490 mm*

AVAILABLE FINISHES

POLISHED

18/10 stainless steel

## MAKI 56.00

Code **MK05600**

**LV/1** 560x500 **Sink with one basin**

SLIM BULT-IN


MCCES


MCVASS

*With mixer tap and automatic drain hole.*
*Provided with automatic drain.*

*For 60 cm cabinet*
*Counter top hole 550x490 mm*

AVAILABLE FINISHES

POLISHED

18/10 stainless steel

## MAKI 38.00

Code **MK03800**

**LV/1** 380x500 **Sink with one basin**

SLIM BULT-IN


MCCES


MCVASS

*With mixer tap and automatic drain hole.*
*Provided with automatic drain.*

*For 45 cm cabinet*
*Counter top hole 370x490 mm*

AVAILABLE FINISHES

POLISHED

18/10 stainless steel

## MAKI SLIM 115.20

Code **SL11520**

**LV/2** 1150x440 **Double-basin sink with drainer**

UNDERMOUNT


MCCES


MCVASS

*For 120 cm cabinet*
*Counter top hole 1110x400 mm*

AVAILABLE FINISHES

POLISHED

18/10 stainless steel

## MAKI SLIM 99.15

Code **SL09920**

**LV/1½** 990x440 **Sink with one and a half basins and drainer**


MCCES


MCVASS

MCCOL

UNDERMOUNT

*For 120 cm cabinet*
*Counter top hole 950x400 mm*

AVAILABLE FINISHES

POLISHED

18/10 stainless steel

## MAKI SLIM 99.10

Code **SL09910**

**LV/1** 990x440 **Sink with one large basin and drainer**


MCCES


MCVASS

UNDERMOUNT

*For 120 cm cabinet*
*Counter top hole 950x400 mm*

AVAILABLE FINISHES

POLISHED

18/10 stainless steel

## MAKI SLIM 85.10

Code **SL08510**

**LV/1** 850x440 **Single-basin sink with drainer**


MCCES


MCVASS

UNDERMOUNT

*For 90 cm cabinet*
*Counter top hole 810x400 mm*

AVAILABLE FINISHES

POLISHED

18/10 stainless steel

## MAKI SLIM 77.20

Code **SL07720** slim bult-in **SL07721** undermount

**LV/2** 770x450 **Double-basin sink**


MCCES


MCVASS

AVAILABLE FINISHES

POLISHED

18/10 stainless steel

SLIM BULT-IN 80 cm cabinet - Counter top hole 750x430 mm

UNDERMOUNT 90 cm cabinet - Counter top hole 720x400 mm

## MAKI SLIM 77.00

Code **SL07700** slim bult-in **SL07701** undermount

**LV/1** 770x450 **Sink with one large basin**


MCCES


MCVASS

AVAILABLE FINISHES

POLISHED

18/10 stainless steel

SLIM BULT-IN 80 cm cabinet - Counter top hole 750x430 mm

UNDERMOUNT 90 cm cabinet - Counter top hole 720x400 mm

## MAKI SLIM 57.00

Code **SL05700** slim bult-in **SL05701** undermount

**LV/1** 570x450 **Sink with one large basin**


MCCES


MCVASS

AVAILABLE FINISHES

POLISHED

18/10 stainless steel

SLIM BULT-IN 60 cm cabinet - Counter top hole 550x430 mm

UNDERMOUNT 80 cm cabinet - Counter top hole 520x400 mm

All Telma sinks are made of extra thick 18/10 stainless steel. The layer of soundproof material on the bottom of the sinks minimizes the noise made by the impact of water from the top on the bottom of the sinks. In standard version sinks are supplied with the hole for tap. Sinks with drainer can be supplied in right or in left version. **Right drainer means that the drainer is on the right while left drainer means that the drainer is on the left**. Sinks can be supplied even without the hole for tap, on request.

# Sinks Colours

## ULTRAQUARTZ

6 YEARS WARRANTY

### Ultraquartz traditional colours



01 UQ White



02 UQ Champagne



12 UQ Black



66 UQ Terre de France



67 UQ Sand



74 UQ Cappuccino



75 UQ Anthracite grey



87 UQ Old white

### Ultraquartz pastel colours



22 UQ Straw yellow



24 UQ Polar Blue



25 UQ Grapefruit yellow

### Ultraquartz translucent colours



32 UQ Silver



33 UQ Champagne "AR"



34 UQ Carbon grey

## GRANIT Sinks

6 YEARS WARRANTY



78 GR Cinnamon



81 GR Grey



83 GR Avrelle



89 GR white "AR"

# Sinks Colours

## microULTRAGRANIT Sinks


50 UG Earth


51 UG Old stone


52 UG Alaska


53 UG Amber


55 UG Sahara


56 UG Jasmine


57 UG Brick


58 UG Milk white


59 UG Anthracite matt


70 UG Black matt

NEW


71 UG Arena grey

NEW


72 UG Truffle


90 UG Opal white


91 UG Graphite grey


92 UG Sand Stone Beige


93 UG Cobalt blue


94 UG Avena


95 UG Ebony black


96 UG Terracotta


97 UG Green


98 UG Polar white


99 UG Pearl grey

Note! In the matching colour kits composed by sink + mixer tap + hob + oven + cooker hood, it should be considered that these products are made of different materials and therefore between these products it could be possible to notice chromatic differences.

# Sinks Colours

## **Ultrametal** Sinks

Colours matching with STAINLESS STEEL or CRYSTAL hobs and ovens manufactured by all appliances producers.


63 UM White


41 UM Aluminium


42 UM Titanium


43 UM Anthracite


44 UM Black

45 UM Beige


46 UM Blue


48 UM Terracotta


49 UM Gold


60 UM Copper

NEW


64 UM Marone

## **ULTRAVITRO** Sinks

Colours matching with STAINLESS STEEL or CRYSTAL hobs and ovens manufactured by all appliances producers.


04 UV Water


05 UV Ice - ICE


06 UV Mirror black - MR


07 UV Silver - SL


09 UV Champagne - CH

## **NATURSTONE: The precious sinks**


S01 - Stone black


S02 - Stone white


S03 - Stone grey


S04 - Havana stone

PROPERTIES OF **NATURSTONE SINKS:**

- They permit to obtain **exceptional aesthetic effects**;
- They have **very bright** and **natural tonalities**;
- they have a **superficial hardness** and a **scratch resistance without any comparison** (Corundum, one of the minerals present in the structure, is the hardest element in nature after diamond);
- They **perfectly maintain the sink colour** for the whole product life.

# Mixers Colours

## Chrome

## ULTRAQUARTZ Traditional colours

solid colour


**40** - Cromo


**01** - White


**02** - Champagne


**12** - Black


**67** - Sand

solid colour


**75** - Anthracite grey


**87** - Old white

shaded colour


**66** - Terre de France


**74** - Cappuccino

## ULTRAQUARTZ pastel colours


**22** - Straw yellow


**24** - Polar blue


**25** - Grapefruit yellow

## Translucent colours


**32** - Silver


**33** - Champagne “AR”


**34** - Carbon grey

## GRANIT


**78** - Cinnamon

**81** - Grey

**83** - Avrelle


**89** - White “AR”

## microULTRAGRANIT


**50** - Earth

**51** - Old stone


**52** - Alaska


**53** - Amber

**55** - Sahara

# Mixers Colours

## microULTRAGRANIT


**56** - Jasmine


**57** - Brick


**58** - Milk white


**59** - Anthracite matt

**70** - Matt black

NEW

**71** - Arena grey

NEW

**72** - Truffle


**90** - Opal white

**91** - Graphite grey


**92** - Sand Stone beige


**93** - Cobalt blue


**94** - Avena

**95** - Ebony black


**97** - Green


**98** - Polar white


**99** - Pearl grey

Note: For example, to order a mixer in chrome/Ultragranit Avena, add code 94 (Avena) to code 40 (Chrome)


**40** + Ultragranit code

## ULTRAMETAL

**41** - Aluminium

**42** - Titanium

**43** - Anthracite

**44** - Black

**45** - Beige

**46** - Blue

**48** - Terracotta

**49** - Gold


**60** - Copper

NEW


**64** - Marone

# Mixers Colours

Note: For example, to order a mixer in chrome/Ultragranit Oat, add code 94 (Oat) to code 40 (Chrome)



**40** + codice Ultrametal

## ULTRAVITRO

**04** - Aqua*

**05** - Ice - ICE

**06** - Mirror black - MR

**07** - Silver - SL

**09** - Champagne - CH

## NATURSTONE



**S01** - Stone black*



**S02** - Stone white*



**S03** - Stone grey*



**S04** - Stone avana*

*ATTENTION:
ALL THE COLOURS WITH ASTERISK ARE AVAILABLE UPON REQUEST

## OTHER FINISHINGS

**40S** - Satin chrome

**40SP** - Brushed chrome

**PVD** - Brushed PVD *

**16** - Old silver



**17** - Old copper



**18** - Old bronze



**19** - Brass

*** N.B. -**

PVD treatment is a chemical process based on titanium and zirconium vapours, allowing to have a surface similar to stainless steel but at a lower price.

CHROME/ULTRAGRANITE and CHROME/ULTRAMETAL mixers present themselves with some chromed parts and some coloured parts.

ATTENTION! - All mixers models offered in various colors from Plados are available in stock.
For some niche models or for particular colors, the delivery time may be higher than standard.

For Pastel, Granit and Naturstone colours, not all models may be available in our stock. Maximum time of delivery: 3 weeks after order.

Any effort has been made to reproduce colours and materials accurately, however due to photography and printing processes, colour variations may occur.

Due to our continued product developement policy, we reserve the right to modify product specifications and/or dimensions without notice.

Please contact our company for further product information:

- Call **+39 0733 290592**
  (from monday to friday, 8.30AM-12.30AM / 2.00PM-6.00PM),

- e-mail **info@plados.it** or visit our website at **www.plados.it**

Plados S.p.A. declines all responsibility for any errors or inaccuracies.
Plados S.p.A. reserves the right to make changes at any time without prior notice.
No images or drawings may be reproduced for commercial purposes without the permission of Plados S.p.A.
Plados S.p.A. products are certified to European Standards (CE marked)

Catalogue updated in February 2014
Copyright © PLADOS S.p.A. 2014
Printed in Italy

PL_ENG_02/14

PLADOS AUTHORIZED DEALER

PLADOS S.p.A. Società con socio unico:
Profile s.a.s. di Bertini Sandrino e Bugiolacchio Antonio & C.
Via Grazia Deledda, 3 - 62010 Montecassiano (MC) ITALY
Tel. +39 0733 290592 - Fax +39 0733 298070
e-mail: plados@plados.it - www.plados.it